

GARVAN INSTITUTE PUBLICATIONS 2007

1. Alexander DM, Williams LM, Gatt JM, Dobson-Stone C, Kuan SA, Todd EG, Schofield PR, Cooper NJ, Gordon E. The contribution of apolipoprotein E alleles on cognitive performance and dynamic neural activity over six decades. *Biol Psychol* 2007; 75:229-38.
2. Allison SJ, Baldock PA, Herzog H. The control of bone remodeling by neuropeptide Y receptors. *Peptides* 2007; 28:320-5.
3. Bai L, Wang Y, Fan J, Chen Y, Ji W, Qu A, Xu P, James DE, Xu T. Dissecting multiple steps of GLUT4 trafficking and identifying the sites of insulin action. *Cell Metab* 2007; 5:47-57.
4. Baldock P, Allison S, Herzog H, Gardiner EM. Central control of bone metabolism. In: Seibel MJ, Robins S, Bilezikian J, editors. *Dynamics of Bone and Cartilage Metabolism*. 2nd ed: Elsevier Press; 2007. p. 361-376.
5. Baldock PA, Allison SJ, Lundberg P, Lee NJ, Slack K, Lin EJ, Enriquez RF, McDonald MM, Zhang L, During MJ, Little DG, Eisman JA, Gardiner EM, Yulyaningsih E, Lin S, Sainsbury A, Herzog H. Novel role of Y1 receptors in the coordinated regulation of bone and energy homeostasis. *J Biol Chem* 2007; 282:19092-102.
6. Biankin AV, Cosman PH, Merrett ND. Abdominal pain: is it the pancreas? *Medicine Today* 2007; 8:35-42.
7. Biankin SA, Collector MI, Biankin AV, Brown LJ, Kleeberger W, Devereux WL, Zahnow CA, Baylin SB, Watkins DN, Sharkis SJ, Leach SD. A histological survey of green fluorescent protein expression in 'green' mice: implications for stem cell research. *Pathology* 2007; 39:247-51.
8. Boey D, Sainsbury A, Herzog H. The role of peptide YY in regulating glucose homeostasis. *Peptides* 2007; 28:390-5.
9. Boonyaratanakornkit V, McGowan E, Sherman L, Mancini MA, Cheskis BJ, Edwards DP. The role of extranuclear signaling actions of progesterone receptor in mediating progesterone regulation of gene expression and the cell cycle. *Mol Endocrinol* 2007; 21:359-75.
10. Boucher AA, Arnold JC, Duffy L, Schofield PR, Micheau J, Karl T. Heterozygous neuregulin 1 mice are more sensitive to the behavioural effects of Delta9-tetrahydrocannabinol. *Psychopharmacology (Berl)* 2007; 192:325-36.
11. Boucher AA, Hunt GE, Karl T, Micheau J, McGregor IS, Arnold JC. Heterozygous neuregulin 1 mice display greater baseline and Delta(9)-tetrahydrocannabinol-induced c-Fos expression. *Neuroscience* 2007; 149:861-870.
12. Boyman O, Purton JF, Surh CD, Sprent J. Cytokines and T-cell homeostasis. *Curr Opin Immunol* 2007; 19:320-6.
13. Brink R. Germinal-center B cells in the zone. *Immunity* 2007; 26:552-4.
14. Britt K, Ashworth A, Smalley M. Pregnancy and the risk of breast cancer. *Endocr Relat Cancer* 2007; 14:907-33.
15. Bruce CR, Brolin C, Turner N, Cleasby ME, van der Leij FR, Cooney GJ, Kraegen EW. Overexpression of carnitine palmitoyltransferase I in skeletal muscle in vivo increases fatty acid oxidation and reduces triacylglycerol esterification. *Am J Physiol Endocrinol Metab* 2007; 292:E1231-7.
16. Bryant VL, Ma CS, Avery DT, Li Y, Good KL, Corcoran LM, de Waal Malefyt R, Tangye SG. Cytokine-Mediated Regulation of Human B Cell Differentiation into Ig-Secreting Cells:

- Predominant Role of IL-21 Produced by CXCR5+ T Follicular Helper Cells. *J Immunol* 2007; 179:8180-90.
17. Burt MG, Gibney J, Ho KK. Protein metabolism in glucocorticoid excess: study in Cushing's syndrome and the effect of treatment. *Am J Physiol Endocrinol Metab* 2007; 292:E1426-32.
 18. Burt MG, Johannsson G, Umpleby AM, Chisholm DJ, Ho KK. Impact of acute and chronic low-dose glucocorticoids on protein metabolism. *J Clin Endocrinol Metab* 2007; 92:3923-9.
 19. Butt AJ, Sutherland RL, Musgrove EA. Live or let die: oestrogen regulation of survival signalling in endocrine response. *Breast Cancer Res* 2007; 9:306.
 20. Campbell LV. How many cases of Type 2 diabetes mellitus are due to being overweight in middle age? Evidence from the Midspan prospective cohort studies using mention of diabetes mellitus on hospital discharge or death records. *Diabet Med* 2007; 24:author reply 1172-3.
 21. Campbell LV. The thrifty gene hypothesis: maybe everyone is right? *Int J Obes (Lond)* 2007.
 22. Cazzolli R, Mitchell TW, Burchfield JG, Pedersen DJ, Turner N, Biden TJ, Schmitz-Peiffer C. Dilinoleoyl-phosphatidic acid mediates reduced IRS-1 tyrosine phosphorylation in rat skeletal muscle cells and mouse muscle. *Diabetologia* 2007; 50:1732-42.
 23. Center JR, Bliuc D, Nguyen TV, Eisman JA. Risk of subsequent fracture after low-trauma fracture in men and women. *Jama* 2007; 297:387-94.
 24. Chen YG, Driver JP, Silveira PA, Serreze DV. Subcongenic analysis of genetic basis for impaired development of invariant NKT cells in NOD mice. *Immunogenetics* 2007; 59:705-12.
 25. Chen YG, Silveira PA, Osborne MA, Chapman HD, Serreze DV. Cellular expression requirements for inhibition of type 1 diabetes by a dominantly protective major histocompatibility complex haplotype. *Diabetes* 2007; 56:424-30.
 26. Cho JH, Boyman O, Kim HO, Hahm B, Rubinstein MP, Ramsey C, Kim DM, Surh CD, Sprent J. An intense form of homeostatic proliferation of naive CD8+ cells driven by IL-2. *J Exp Med* 2007; 204:1787-801.
 27. Christ D, Famm K, Winter G. Repertoires of aggregation-resistant human antibody domains. *Protein Eng Des Sel* 2007; 20:413-6.
 28. Clark SJ. Action at a distance: epigenetic silencing of large chromosomal regions in carcinogenesis. *Hum Mol Genet* 2007; 16 Spec No 1:R88-95.
 29. Clark SJ, Statham A, Stirzaker C, Molloy PL, Frommer M. DNA methylation: bisulphite modification and analysis. *Nature Protocols* 2007; 1:2353-2364.
 30. Cleasby ME, Reinten TA, Cooney GJ, James DE, Kraegen EW. Functional studies of Akt isoform specificity in skeletal muscle in vivo; maintained insulin sensitivity despite reduced insulin receptor substrate-1 expression. *Mol Endocrinol* 2007; 21:215-28.
 31. Coolen MW, Statham AL, Gardiner-Garden M, Clark SJ. Genomic profiling of CpG methylation and allelic specificity using quantitative high-throughput mass spectrometry: critical evaluation and improvements. *Nucleic Acids Res* 2007; 35:e119.
 32. Cosman PH, Hugh TJ, Shearer CJ, Merrett ND, Biankin AV, Cartmill JA. Skills acquired on virtual reality laparoscopic simulators transfer into the operating room in a blinded, randomised, controlled trial. *Stud Health Technol Inform* 2007; 125:76-81.
 33. Cosman PH, Shearer CJ, Hugh TJ, Biankin AV, Merrett ND. A novel approach to high definition, high-contrast video capture in abdominal surgery. *Ann Surg* 2007; 245:533-5.
 34. Croucher DR, Saunders DN, Stillfried GE, Ranson M. A structural basis for differential cell signalling by PAI-1 and PAI-2 in breast cancer cells. *Biochem J* 2007; 408:203-10.
 35. Deenick EK, Tangye SG. Autoimmunity: IL-21: a new player in Th17-cell differentiation. *Immunol Cell Biol* 2007; 85:503-5.
 36. Dobson-Stone C, Gatt JM, Kuan SA, Grieve SM, Gordon E, Williams LM, Schofield PR. Investigation of MCPH1 G37995C and ASPM A44871G polymorphisms and brain size in a healthy cohort. *Neuroimage* 2007; 37:394-400.
 37. Doyle KL, Kazda A, Hort Y, McKay SM, Oleskevich S. Differentiation of adult mouse olfactory precursor cells into hair cells in vitro. *Stem Cells* 2007; 25:621-7.

38. Dziadek MA, Johnstone LS. Biochemical properties and cellular localisation of STIM proteins. *Cell Calcium* 2007; 42:123-32.
39. Eisman JA, Lorenzo JA. Challenges in science and academic-industry interactions. *J Bone Miner Res* 2007; 22:1654-5.
40. Falasca M, Hughes WE, Dominguez V, Sala G, Fostira F, Fang MQ, Cazzolli R, Shepherd PR, James DE, Maffucci T. The role of phosphoinositide 3-kinase C2alpha in insulin signaling. *J Biol Chem* 2007; 282:28226-36.
41. Frost SA, Nguyen ND, Center JR, Eisman JA, Nguyen TV. Discordance of longitudinal changes in bone density between densitometers. *Bone* 2007; 41:690-7.
42. Gibney J, Wolthers T, Burt MG, Leung KC, Umpleby AM, Ho KK. Protein metabolism in acromegaly: differential effects of short- and long-term treatment. *J Clin Endocrinol Metab* 2007; 92:1479-84.
43. Good KL, Tangye SG. Decreased expression of Kruppel-like factors in memory B cells induces the rapid response typical of secondary antibody responses. *Proc Natl Acad Sci U S A* 2007; 104:13420-5.
44. Gray EE, Fink AE, Sarinana J, Vissel B, O'Dell T J. Long-Term Potentiation in the Hippocampal CA1 Region Does Not Require Insertion and Activation of GluR2-Lacking AMPA Receptors. *J Neurophysiol* 2007; 98:2488-92.
45. Greenfield JR, Chisholm D. Measurement of insulin resistance. *Diabetes Management Journal* 2007; 21:14-15.
46. Greenfield JR, Samaras K, Chisholm DJ, Campbell LV. Effect of postprandial insulinemia and insulin resistance on measurement of arterial stiffness (augmentation index). *Int J Cardiol* 2007; 114:50-6.
47. Groom JR, Fletcher CA, Walters SN, Grey ST, Watt SV, Sweet MJ, Smyth MJ, Mackay CR, Mackay F. BAFF and MyD88 signals promote a lupuslike disease independent of T cells. *J Exp Med* 2007; 204:1959-71.
48. Harmer AR, Chisholm DJ, McKenna MJ, Morris NR, Thom JM, Bennett G, Flack JR. High-intensity training improves plasma glucose and acid-base regulation during intermittent maximal exercise in type 1 diabetes. *Diabetes Care* 2007; 30:1269-71.
49. Hayes VM. Review of: A DGGE system for comprehensive mutation screening of BRCA1 and BRCA2: application in a Dutch cancer clinic setting. *Breast Cancer Online (BCO)* www.bco.org 2007:e00 (pages 1 of 3).
50. Hayes VM, Severi G, Padilla EJ, Morris HA, Tilley WD, Southey MC, English DR, Sutherland RL, Hopper JL, Boyle P, Giles GG. 5alpha-Reductase type 2 gene variant associations with prostate cancer risk, circulating hormone levels and androgenetic alopecia. *Int J Cancer* 2007; 120:776-80.
51. Heilbronn LK, Gan SK, Turner N, Campbell LV, Chisholm DJ. Markers of mitochondrial biogenesis and metabolism are lower in overweight and obese insulin-resistant subjects. *J Clin Endocrinol Metab* 2007; 92:1467-73.
52. Heilbronn LK, Gregersen S, Shirkhedkar D, Hu D, Campbell LV. Impaired fat oxidation after a single high-fat meal in insulin-sensitive nondiabetic individuals with a family history of type 2 diabetes. *Diabetes* 2007; 56:2046-53.
53. Heinzelmann-Schwarz VA, Scolyer RA, Scurry JP, Smith AN, Gardiner-Garden M, Biankin AV, Baron-Hay S, Scott C, Ward RL, Fink D, Hacker NF, Sutherland RL, O'Brien PM. Low meprin alpha expression differentiates primary ovarian mucinous carcinoma from gastrointestinal cancers that commonly metastasise to the ovaries. *J Clin Pathol* 2007; 60:622-6.
54. Hickie IB, Naismith SL, Ward PB, Scott EM, Mitchell PB, Schofield PR, Scimone A, Wilhelm K, Parker G. Serotonin transporter gene status predicts caudate nucleus but not amygdala or hippocampal volumes in older persons with major depression. *J Affect Disord* 2007; 98:137-42.
55. Hinshelwood RA, Huschtscha LI, Melki J, Stirzaker C, Abdipranoto A, Vissel B, Ravasi T, Wells CA, Hume DA, Reddel RR, Clark SJ. Concordant epigenetic silencing of transforming growth factor-beta signaling pathway genes occurs early in breast carcinogenesis. *Cancer Res* 2007; 67:11517-27.

56. Hitchins MP, Lin VA, Buckle A, Cheong K, Halani N, Ku S, Kwok CT, Packham D, Suter CM, Meagher A, Stirzaker C, **Clark S**, Hawkins NJ, Ward RL. Epigenetic inactivation of a cluster of genes flanking MLH1 in microsatellite-unstable colorectal cancer. *Cancer Res* 2007; 67:9107-16.
57. Ho KK. Consensus guidelines for the diagnosis and treatment of adults with GH deficiency II: a statement of the GH Research Society in association with the European Society for Pediatric Endocrinology, Lawson Wilkins Society, European Society of Endocrinology, Japan Endocrine Society, and Endocrine Society of Australia. *Eur J Endocrinol* 2007; 157:695-700.
58. Horvath LG, Lelliott JE, Kench JG, Lee CS, Williams ED, Saunders DN, Grygiel JJ, Sutherland RL, Henshall SM. Secreted frizzled-related protein 4 inhibits proliferation and metastatic potential in prostate cancer. *Prostate* 2007; 67:1081-90.
59. Howell OW, Silva S, Scharfman HE, Sosunov AA, Zaben M, Shatya A, McKhann G, 2nd, Herzog H, Laskowski A, Gray WP. Neuropeptide Y is important for basal and seizure-induced precursor cell proliferation in the hippocampus. *Neurobiol Dis* 2007; 26:174-88.
60. Hoy AJ, Bruce CR, Cederberg A, Turner N, James DE, Cooney GJ, Kraegen EW. Glucose infusion causes insulin resistance in skeletal muscle of rats without changes in Akt and AS160 phosphorylation. *Am J Physiol Endocrinol Metab* 2007; 293:E1358-64.
61. Hu SH, Latham CF, Gee CL, James DE, Martin JL. Structure of the Munc18c/Syntaxin4 N-peptide complex defines universal features of the N-peptide binding mode of Sec1/Munc18 proteins. *Proc Natl Acad Sci U S A* 2007; 104:8773-8.
62. Jeffrey KL, Camps M, Rommel C, Mackay CR. Targeting dual-specificity phosphatases: manipulating MAP kinase signalling and immune responses. *Nat Rev Drug Discov* 2007; 6:391-403.
63. Johnen H, Lin S, Kuffner T, Brown DA, Tsai VW, Bauskin AR, Wu L, Pankhurst G, Jiang L, Junankar S, Hunter M, Fairlie WD, Lee NJ, Enriquez RF, Baldock PA, Corey E, Apple FS, Murakami MM, Lin EJ, Wang C, During MJ, Sainsbury A, Herzog H, Breit SN. Tumor-induced anorexia and weight loss are mediated by the TGF-beta superfamily cytokine MIC-1. *Nat Med* 2007; 13:1333-40.
64. Kanis JA, Oden A, Johnell O, Johansson H, De Laet C, Brown J, Burckhardt P, Cooper C, Christiansen C, Cummings S, Eisman JA, Fujiwara S, Gluer C, Goltzman D, Hans D, Krieg MA, La Croix A, McCloskey E, Mellstrom D, Melton LJ, 3rd, Pols H, Reeve J, Sanders K, Schott AM, Silman A, Torgerson D, van Staa T, Watts NB, Yoshimura N. The use of clinical risk factors enhances the performance of BMD in the prediction of hip and osteoporotic fractures in men and women. *Osteoporos Int* 2007; 18:1033-46.
65. Karl T, Duffy L, Scimone A, Harvey RP, Schofield PR. Altered motor activity, exploration and anxiety in heterozygous neuregulin 1 mutant mice: implications for understanding schizophrenia. *Genes Brain Behav* 2007; 6:677-87.
66. Karl T, Herzog H. Behavioral profiling of NPY in aggression and neuropsychiatric diseases. *Peptides* 2007; 28:326-33.
67. Karlstrom H, Kwok JB, Gregory GC, Hallupp M, Brooks WS, Schofield PR. No association of spastic paraparesis genes in PSEN1 Alzheimer's disease with spastic paraparesis. *Neuroreport* 2007; 18:1267-9.
68. Kincaid MM, Cooper AA. ERADicate ER Stress or Die Trying. *Antioxid Redox Signal* 2007; 9:2373-87.
69. Kincaid MM, Cooper AA. Misfolded proteins traffic from the endoplasmic reticulum (ER) due to ER export signals. *Mol Biol Cell* 2007; 18:455-63.
70. Kohonen-Corish MR, Sigglekow ND, Susanto J, Chapuis PH, Bokey EL, Dent OF, Chan C, Lin BP, Seng TJ, Laird PW, Young J, Leggett BA, Jass JR, Sutherland RL. Promoter methylation of the mutated in colorectal cancer gene is a frequent early event in colorectal cancer. *Oncogene* 2007; 26:4435-41.
71. Konstantynowicz J, Nguyen TV, Kaczmarek M, Jamiolkowski J, Piotrowska-Jastrzebska J, Seeman E. Fractures during growth: potential role of a milk-free diet. *Osteoporos Int* 2007; 18:1601-7.

72. Kuo I, Ong C, Simmons L, Bliuc D, Eisman J, Center J. Successful direct intervention for osteoporosis in patients with minimal trauma fractures. *Osteoporos Int* 2007; 18:1633-9.
73. Kuo LE, Kitlinska JB, Tilan JU, Li L, Baker SB, Johnson MD, Lee EW, Burnett MS, Fricke ST, Kvetnansky R, Herzog H, Zukowska Z. Neuropeptide Y acts directly in the periphery on fat tissue and mediates stress-induced obesity and metabolic syndrome. *Nat Med* 2007; 13:803-11.
74. Latham CF, Hu SH, Gee CL, Armishaw CJ, Alewood PF, James DE, Martin JL. Crystallization and preliminary X-ray diffraction of the Munc18c-syntaxin4 (1-29) complex. *Acta Crystallogr Sect F Struct Biol Cryst Commun* 2007; 63:524-8.
75. Laybutt DR, Hawkins YC, Lock J, Lebet J, Sharma A, Bonner-Weir S, Weir GC. Influence of diabetes on the loss of beta cell differentiation after islet transplantation in rats. *Diabetologia* 2007; 50:2117-25.
76. Laybutt DR, Preston AM, Akerfeldt MC, Kench JG, Busch AK, Biankin AV, Biden TJ. Endoplasmic reticulum stress contributes to beta cell apoptosis in type 2 diabetes. *Diabetologia* 2007; 50:752-63.
77. Lee CE, Jackson KJ, Sewell WA, Collins AM. Use of IGHJ and IGHD gene mutations in analysis of immunoglobulin sequences for the prognosis of chronic lymphocytic leukemia. *Leuk Res* 2007; 31:1247-52.
78. Lee CM, Iorno N, Sierro F, Christ D. Selection of human antibody fragments by phage display. *Nat Protoc* 2007; 2:3001-8.
79. Leung KC, Brce J, Doyle N, Lee HJ, Leong GM, Sjogren K, Ho KK. Regulation of growth hormone signaling by selective estrogen receptor modulators occurs through suppression of protein tyrosine phosphatases. *Endocrinology* 2007; 148:2417-23.
80. Lin EJD, Zhang L, Sainsbury A, Herzog H. Y2, Y4 receptors and obesity. *Expert Review of Endocrinology & Metabolism* 2007; 2:163-173.
81. Lin S, Lin EJ, Boey D, Lee NJ, Slack K, During MJ, Sainsbury A, Herzog H. Fasting inhibits the growth and reproductive axes via distinct Y2 and Y4 receptor-mediated pathways. *Endocrinology* 2007; 148:2056-65.
82. Liu PY, Beilin J, Meier C, Nguyen TV, Center JR, Leedman PJ, Seibel MJ, Eisman JA, Handelsman DJ. Age-related changes in serum testosterone and sex hormone binding globulin in Australian men: longitudinal analyses of two geographically separate regional cohorts. *J Clin Endocrinol Metab* 2007; 92:3599-603.
83. Loacker S, Sayyah M, Wittmann W, Herzog H, Schwarzer C. Endogenous dynorphin in epileptogenesis and epilepsy: anticonvulsant net effect via kappa opioid receptors. *Brain* 2007; 130:1017-28.
84. Lundberg P, Allison SJ, Lee NJ, Baldock PA, Brouard N, Rost S, Enriquez RF, Sainsbury A, Lamghari M, Simmons P, Eisman JA, Gardiner EM, Herzog H. Greater bone formation of Y2 knockout mice is associated with increased osteoprogenitor numbers and altered Y1 receptor expression. *J Biol Chem* 2007; 282:19082-91.
85. Lundberg P, Koskinen C, Baldock PA, Lothgren H, Stenberg A, Lerner UH, Oldenberg PA. Osteoclast formation is strongly reduced both in vivo and in vitro in the absence of CD47/SIRPalpha-interaction. *Biochem Biophys Res Commun* 2007; 352:444-8.
86. Ma CS, Nichols KE, Tangye SG. Regulation of cellular and humoral immune responses by the SLAM and SAP families of molecules. *Annu Rev Immunol* 2007; 25:337-79.
87. Mackay F, Groom JR, Tangye SG. An important role for B-cell activation factor and B cells in the pathogenesis of Sjogren's syndrome. *Curr Opin Rheumatol* 2007; 19:406-13.
88. Mackay F, Silveira PA, Brink R. B cells and the BAFF/APRIL axis: fast-forward on autoimmunity and signaling. *Curr Opin Immunol* 2007; 19:327-36.
89. Makovey J, Nguyen TV, Naganathan V, Wark JD, Sambrook PN. Genetic effects on bone loss in peri- and postmenopausal women: a longitudinal twin study. *J Bone Miner Res* 2007; 22:1773-80.
90. McGowan EM, Russell AJ, Boonyaratankornkit V, Saunders DN, Lehrbach GM, Sergio CM, Musgrove EA, Edwards DP, Sutherland RL. Progestins Reinitiate Cell Cycle Progression in

- Antiestrogen-Arrested Breast Cancer Cells through the B-Isoform of Progesterone Receptor. *Cancer Res* 2007; 67:8942-51.
91. McKay SM, Oleskevich S. The role of spontaneous activity in development of the endbulb of Held synapse. *Hear Res* 2007; 230:53-63.
 92. Meinhardt UJ, Ho KK. Regulation of growth hormone action by gonadal steroids. *Endocrinol Metab Clin North Am* 2007; 36:57-73.
 93. Meiser B, Mitchell PB, Kasparian NA, Strong K, Simpson JM, Mireskandari S, Tabassum L, Schofield PR. Attitudes towards childbearing, causal attributions for bipolar disorder and psychological distress: a study of families with multiple cases of bipolar disorder. *Psychol Med* 2007; 37:1601-11.
 94. Munoz MA, Saunders DN, Henderson MJ, Clancy JL, Russell AJ, Lehrbach G, Musgrove EA, Watts CK, Sutherland RL. The E3 Ubiquitin Ligase EDD Regulates S-Phase and G(2)/M DNA Damage Checkpoints. *Cell Cycle* 2007; 6.
 95. Nadler JV, Tu B, Timofeeva O, Jiao Y, Herzog H. Neuropeptide Y in the recurrent mossy fiber pathway. *Peptides* 2007; 28:357-64.
 96. Naylor MJ, Ormandy CJ. Gata-3 and mammary cell fate. *Breast Cancer Res* 2007; 9:302.
 97. Nelson AE, Ho KK. Abuse of growth hormone by athletes. *Nat Clin Pract Endocrinol Metab* 2007; 3:198-9.
 98. Nguyen ND, Ahlborg HG, Center JR, Eisman JA, Nguyen TV. Residual lifetime risk of fractures in women and men. *J Bone Miner Res* 2007; 22:781-8.
 99. Nguyen ND, Center JR, Eisman JA, Nguyen TV. Bone loss, weight loss, and weight fluctuation predict mortality risk in elderly men and women. *J Bone Miner Res* 2007; 22:1147-54.
 100. Nguyen ND, Eisman JA, Center JR, Nguyen TV. Risk factors for fracture in nonosteoporotic men and women. *J Clin Endocrinol Metab* 2007; 92:955-62.
 101. Nguyen ND, Frost SA, Center JR, Eisman JA, Nguyen TV. Development of a nomogram for individualizing hip fracture risk in men and women. *Osteoporos Int* 2007; 18:1109-17.
 102. Nguyen ND, Wang CY, Eisman JA, Nguyen TV. On the association between statin and fracture: a Bayesian consideration. *Bone* 2007; 40:813-20.
 103. Nguyen TV. Individualization of osteoporosis risk. *Osteoporos Int* 2007; 18:1153-6.
 104. Nguyen TV, Meier C, Center JR, Eisman JA, Seibel MJ. Bone turnover in elderly men: relationships to change in bone mineral density. *BMC Musculoskelet Disord* 2007; 8:13.
 105. Oakes SR, Robertson FG, Kench JG, Gardiner-Garden M, Wand MP, Green JE, Ormandy CJ. Loss of mammary epithelial prolactin receptor delays tumor formation by reducing cell proliferation in low-grade preinvasive lesions. *Oncogene* 2007; 26:543-53.
 106. Ohshima R, Ohta T, Wu W, Koike A, Iwatani T, Henderson M, Watts CK, Otsubo T. Putative tumor suppressor EDD interacts with and up-regulates APC. *Genes Cells* 2007; 12:1339-45.
 107. Page AJ, Slattery JA, Brierley SM, **Jacoby AS**, Blackshaw LA. Involvement of Galanin receptors 1 and 2 in the modulation of mouse vagal afferent mechanosensitivity. *J Physiol-Lon* 2007; 583.2:675-84.
 108. Pasca di Magliano M, Biankin AV, Heiser PW, Cano DA, Gutierrez PJ, Deramaudt T, Segara D, Dawson AC, Kench JG, Henshall SM, Sutherland RL, Dlugosz A, Rustgi AK, Hebrok M. Common activation of canonical wnt signaling in pancreatic adenocarcinoma. *PLoS ONE* 2007; 2:e1155.
 109. Pongchaiyakul C, Nguyen TV, Wanothayaroj E, Karusan N, Klungboonkrong V. Prevalence of metabolic syndrome and its relationship to weight in the Thai population. *J Med Assoc Thai* 2007; 90:459-67.
 110. Pongchaiyakul C, Panichkul S, Songpatanasilp T, Nguyen TV. A nomogram for predicting osteoporosis risk based on age, weight and quantitative ultrasound measurement. *Osteoporos Int* 2007; 18:525-31.
 111. Prall OW, Menon MK, Solloway MJ, Watanabe Y, Zaffran S, Bajolle F, Biben C, **McBride JJ**, Robertson BR, Chaulet H, Stennard FA, Wise N, Schaft D, Wolstein O, Furtado MB, Shiratori H,

- Chien KR, Hamada H, Black BL, Saga Y, Robertson EJ, Buckingham ME, Harvey RP. An Nkx2-5/Bmp2/Smad1 negative feedback loop controls heart progenitor specification and proliferation. *Cell* 2007; 128:947-59.
112. Purton JF, Sprent J, Surh CD. Staying alive--naive CD4(+) T cell homeostasis. *Eur J Immunol* 2007; 37:2367-9.
113. Purton JF, Tan JT, Rubinstein MP, Kim DM, Sprent J, Surh CD. Antiviral CD4+ memory T cells are IL-15 dependent. *J Exp Med* 2007; 204:951-61.
114. **Roberts CG, Gurisik E, Biden TJ, Sutherland RL, Butt AJ.** Synergistic cytotoxicity between tamoxifen and the plant toxin persin in human breast cancer cells is dependent on Bim expression and mediated by modulation of ceramide metabolism. *Mol Cancer Ther* 2007; 6:2777-85.
115. Sadowski M, Mawson A, Baker R, Sarcevic B. Cdc34 C-terminal tail phosphorylation regulates Skp1/cullin/F-box (SCF)-mediated ubiquitination and cell cycle progression. *Biochem J* 2007; 405:569-81.
116. Sainsbury A, Lin S, McNamara K, Slack K, Enriquez R, Lee NJ, Boey D, Smythe GA, Schwarzer C, Baldock P, Karl T, Lin EJ, Couzens M, Herzog H. Dynorphin knockout reduces fat mass and increases weight loss during fasting in mice. *Mol Endocrinol* 2007; 21:1722-35.
117. Sainsbury-Salis A. *The Don't Go Hungry Diet*: Random House Australia; 2007.
118. Samaras K, Wand H, Law M, Emery S, Cooper D, Carr A. Prevalence of metabolic syndrome in HIV-infected patients receiving highly active antiretroviral therapy using International Diabetes Foundation and Adult Treatment Panel III criteria: associations with insulin resistance, disturbed body fat compartmentalization, elevated C-reactive protein, and [corrected] hypoadiponectinemia. *Diabetes Care* 2007; 30:113-9.
119. Sambrook PN. Are bisphosphonates more effective than vitamin D3 analogs for the prevention of glucocorticoid-induced osteoporosis? *Nat Clin Pract Endocrinol Metab* 2007; 3:206-7.
120. Sata A, Ho KK. Growth hormone measurements in the diagnosis and monitoring of acromegaly. *Pituitary* 2007; 10:165-172.
121. Schmitz-Peiffer C, Laybutt DR, Burchfield JG, Gurisik E, Narasimhan S, Mitchell CJ, Pedersen DJ, Braun U, Cooney GJ, Leitges M, Biden TJ. Inhibition of PKC ϵ improves glucose-stimulated insulin secretion and reduces insulin clearance. *Cell Metab* 2007; 6:320-8.
122. Severi G, Hayes VM, Padilla EJ, English DR, Southey MC, Sutherland RL, Hopper JL, Giles GG. The common variant rs1447295 on chromosome 8q24 and prostate cancer risk: results from an Australian population-based case-control study. *Cancer Epidemiol Biomarkers Prev* 2007; 16:610-2.
123. Shane E, Civitelli R, Delmas PD, Drezner M, Eisman JA, Lindsay R, Lorenzo J, Miller P, Ralston S, Reid I, Siris E. Maintaining the trust of physicians and the public in the medical literature: report of a task force on scientific publishing of clinical trials. *J Bone Miner Res* 2007; 22:1661-7.
124. Shi YC, Worton L, Esteban L, Baldock P, Fong C, Eisman JA, Gardiner EM. Effects of continuous activation of vitamin D and Wnt response pathways on osteoblastic proliferation and differentiation. *Bone* 2007; 41:87-96.
125. Siervo F, Biben C, Martinez-Munoz L, Mellado M, Ransohoff RM, Li M, Woehl B, Leung H, Groom J, Batten M, Harvey RP, Martinez AC, Mackay CR, Mackay F. Disrupted cardiac development but normal hematopoiesis in mice deficient in the second CXCL12/SDF-1 receptor, CXCR7. *Proc Natl Acad Sci U S A* 2007; 104:14759-64.
126. Silveira PA, Serreze DV, Grey ST. Invasion of the killer B's in type 1 diabetes. *Front Biosci* 2007; 12:2183-93.
127. Sjogren K, Leung KC, Kaplan W, Gardiner-Garden M, Gibney J, Ho KK. Growth hormone regulation of metabolic gene expression in muscle: a microarray study in hypopituitary men. *Am J Physiol Endocrinol Metab* 2007; 293:E364-71.
128. Sluyter R, Shemon AN, Hughes WE, Stevenson RO, Georgiou JG, Eslick GD, Taylor RM, Wiley JS. Canine erythrocytes express the P2X7 receptor: greatly increased function compared with human erythrocytes. *Am J Physiol Regul Integr Comp Physiol* 2007; 293:R2090-8.

129. Smith FM, Holt LJ, Garfield AS, Charalambous M, Koumanov F, Perry M, Bazzani R, Sheardown SA, Hegarty BD, Lyons RJ, Cooney GJ, Daly RJ, Ward A. Mice with a disruption of the imprinted Grb10 gene exhibit altered body composition, glucose homeostasis, and insulin signaling during postnatal life. *Mol Cell Biol* 2007; 27:5871-86.
130. Stillfried GE, Saunders DN, Ranson M. Plasminogen binding and activation at the breast cancer cell surface: the integral role of urokinase activity. *Breast Cancer Res* 2007; 9:R14.
131. Stone J, Gurrin LC, Byrnes GB, Schroen CJ, Treloar SA, Padilla EJ, Dite GS, Southey MC, Hayes VM, Hopper JL. Mammographic density and candidate gene variants: a twins and sisters study. *Cancer Epidemiol Biomarkers Prev* 2007; 16:1479-84.
132. Sullivan JM, Benton JL, Sandeman DC, Beltz BS. Adult neurogenesis: a common strategy across diverse species. *J Comp Neurol* 2007; 500:574-84.
133. Sullivan JM, Sandeman DC, Benton JL, Beltz BS. Adult neurogenesis and cell cycle regulation in the crustacean olfactory pathway: from glial precursors to differentiated neurons. *J Mol Histol* 2007; 38:527-42.
134. Suryani S, Sutton I. An interferon-gamma-producing Th1 subset is the major source of IL-17 in experimental autoimmune encephalitis. *J Neuroimmunol* 2007; 183:96-103.
135. Sutherland RL, Sergio CM, McNeil CM, Anderson LR, Inman CK, Butt A, J., Musgrove EA. Estrogens, cell proliferation and breast cancer. In: Melmed S, Rochefort H, Chanson P, Christen Y, editors. *Hormonal control of cell cycle*. Berlin, Heidelberg: Springer-Verlag; 2007. p. 123-138.
136. Tangye SG, Good KL. Human IgM+CD27+ B cells: memory B cells or "memory" B cells? *J Immunol* 2007; 179:13-9.
137. Timpson P, Wilson AS, Lehrbach GM, Sutherland RL, Musgrove EA, Daly RJ. Aberrant expression of cortactin in head and neck squamous cell carcinoma cells is associated with enhanced cell proliferation and resistance to the epidermal growth factor receptor inhibitor gefitinib. *Cancer Res* 2007; 67:9304-14.
138. Tindall EA, Speight G, Petersen DC, Padilla EJ, Hayes VM. Novel Plexor SNP genotyping technology: comparisons with TaqMan and homogenous MassEXTEND MALDI-TOF mass spectrometry. *Hum Mutat* 2007; 28:922-7.
139. Trapp EG, Chisholm DJ, Boutcher SH. Metabolic response of trained and untrained women during high-intensity intermittent cycle exercise. *Am J Physiol Regul Integr Comp Physiol* 2007; 293:R2370-5.
140. **Turner N, Bruce CR, Beale SM, Hoehn KL, So T, Rolph MS, Cooney GJ.** Excess lipid availability increases mitochondrial fatty acid oxidative capacity in muscle: evidence against a role for reduced fatty acid oxidation in lipid-induced insulin resistance in rodents. *Diabetes* 2007; 56:2085-92.
141. Vallotton P, James DE, Hughes WE. Towards fully automated Identification of Vesicle-Membrane Fusion Events in TIRF Microscopy. In: Pham TD, Zhou, X, editor. *Computational Models For Life Sciences*; 2007; Gold Coast, Queensland: Springer; 2007. p. 3-10.
142. Viardot A, Grey ST, Mackay F, Chisholm D. Potential antiinflammatory role of insulin via the preferential polarization of effector T cells toward a T helper 2 phenotype. *Endocrinology* 2007; 148:346-53.
143. Vince JE, Wong WW, Khan N, Feltham R, Chau D, Ahmed AU, Benetatos CA, Chunduru SK, Condon SM, McKinlay M, Brink R, Leverkus M, Tergaonkar V, Schneider P, Callus BA, Koentgen F, Vaux DL, Silke J. IAP antagonists target cIAP1 to induce TNFalpha-dependent apoptosis. *Cell* 2007; 131:682-93.
144. Wand H, Calmy A, Carey DL, Samaras K, Carr A, Law MG, Cooper DA, Emery S. Metabolic syndrome, cardiovascular disease and type 2 diabetes mellitus after initiation of antiretroviral therapy in HIV infection. *Aids* 2007; 21:2445-2453.
145. Wang Y, Lam KS, Kraegen EW, Sweeney G, Zhang J, Tso AW, Chow WS, Wat NM, Xu JY, Hoo RL, Xu A. Lipocalin-2 is an inflammatory marker closely associated with obesity, insulin resistance, and hyperglycemia in humans. *Clin Chem* 2007; 53:34-41.
146. Wheway J, Herzog H, Mackay F. The Y1 receptor for NPY: a key modulator of the adaptive immune system. *Peptides* 2007; 28:453-8.

147. Wheway J, Herzog H, Mackay F. NPY and receptors in immune and inflammatory diseases. *Curr Top Med Chem* 2007; 7:1743-52.
148. Wilhelm K, Siegel JE, Finch AW, Hadzi-Pavlovic D, Mitchell PB, Parker G, Schofield PR. The long and the short of it: associations between 5-HTT genotypes and coping with stress. *Psychosom Med* 2007; 69:614-20.
149. Wilkinson IR, Ferrandis E, Artymiuk PJ, Teillot M, Soulard C, Touvay C, Pradhananga SL, Justice S, Wu Z, Leung KC, Strasburger CJ, Sayers JR, Ross RJ. A ligand-receptor fusion of growth hormone forms a dimer and is a potent long-acting agonist. *Nat Med* 2007; 13:1108-13.
150. Xu G, Kaneto H, Laybutt DR, Duvivier-Kali VF, Trivedi N, Suzuma K, King GL, Weir GC, Bonner-Weir S. Downregulation of GLP-1 and GIP receptor expression by hyperglycemia: possible contribution to impaired incretin effects in diabetes. *Diabetes* 2007; 56:1551-8.
151. Yang JL, Qu XJ, Hayes VM, Brenner PC, Russell PJ, Goldstein D. Erlotinib (OSI-774)-induced inhibition of transitional cell carcinoma of bladder cell line growth is enhanced by interferon-alpha. *BJU Int* 2007; 99:1539-45.
152. Yuzuriha H, Inui A, Asakawa A, Ueno N, Kasuga M, Meguid MM, Miyazaki J, Ninomiya M, Herzog H, Fujimiya M. Gastrointestinal hormones (anorexigenic peptide YY and orexigenic ghrelin) influence neural tube development. *Faseb J* 2007; 21:2108-12.