

## GARVAN INSTITUTE PUBLICATIONS 2002

- 1 Arrowsmith FE, Ward J, Rooney K, Kriketos AD, Baur LA, Thompson CH. Body fatness, insulin sensitivity and muscle oxygen supply in adolescents. *Clin Sci* 2002; 103:391-396.
- 2 Badenhop RF, Moses MJ, Scimone A, Mitchell PB, Ewen-White KR, Rosso A, Donald JA, Adams LJ, Schofield PR. A genome screen of 13 bipolar affective disorder pedigrees provides evidence for susceptibility loci on chromosome 3 as well as chromosome 9, 13 and 19. *Mol Psychiatr* 2002; 7:594-603.
- 3 Baldock PA, Sainsbury A, Couzens M, Enriquez RF, Thomas GP, Gardiner EM, Herzog H. Hypothalamic Y2 receptors regulate bone formation. *J Clin Invest* 2002; 109:915-921.
- 4 Baran K, Preston E, Wilks D, Cooney GJ, Kraegen EW, Sainsbury A. Chronic central melanocortin-4 receptor antagonism and central neuropeptide-Y infusion in rats produce increased adiposity by divergent pathways. *Diabetes* 2002; 51:152-158.
- 5 Batterham RL, Cowley MA, Small CJ, Herzog H, Cohen MA, Dakin CL, Wren AM, Brynes AE, Low MJ, Ghatei MA, Cone RD, Bloom SR. The gut hormone, PYY<sub>3-36</sub>, physiologically inhibits food intake. *Nature* 2002; 418:650-654.
- 6 Berger A, Tuechler C, Almer D, Kogner P, Ratschek M, Kerbl R, Iismaa TP, Jones N, Sperl W, Kofler B. Elevated expression of galanin receptors in childhood neuroblastic tumors. *Neuroendocrinology* 2002; 75:130-138.
- 7 Biankin AV, Biankin SA, Kench JG, Morey AL, Lee C-S, Head DR, Eckstein RP, Hugh TB, Henshall S, Sutherland RL. Aberrant p16<sup>INK4A</sup> and DPC4/Smad4 expression in intraductal papillary mucinous tumours of the pancreas is associated with invasive ductal adenocarcinoma. *Gut* 2002; 50:861-868.
- 8 Biankin AV, Morey AL, Lee C-S, Kench JG, Biankin SA, Hook HC, Head DR, Hugh TB, Sutherland RL, Henshall SM. DPC4/Smad4 expression and outcome in pancreatic ductal adenocarcinoma. *J Clin Oncol* 2002; 20:4531-4542.
- 9 Blair IP, Adams LJ, Badenhop RF, Moses MJ, Scimone A, Morris JA, Ma L, Austin CP, Donald JA, Mitchell PB, Schofield PR. A transcript map encompassing a susceptibility locus for bipolar affective disorder on chromosome 4q35; and Stylized transcript map of chromosome 4q35 encompassing the locus for a bipolar disorder susceptibility gene (Image). *Mol Psychiatr* 2002; 7:867-873 and 669.
- 10 Brodaty H, Mitchell P, Luscombe G, Kwok JBJ, Badenhop RF, McKenzie R, Schofield PR. Familial idiopathic calcification of the basal ganglia (Fahr's disease) without neurological, cognitive and psychiatric symptoms is not linked to the *IBGC1* locus on chromosome 14q. *Human Genet* 2002; 110:8-14.
- 11 Bryant NJ, Govers R, James DE. Regulated transport of the glucose transporter Glut4. *Nature Reviews: Mol Cell Biol* 2002; 3:267-277.
- 12 Busch AK, Cordery D, Denyer GS, Biden TJ. Expression-profiling of palmitate- and oleate-regulated genes provides novel insights into the effects of chronic lipid exposure on pancreatic  $\beta$ -cell function. *Diabetes* 2002; 51:977-987.
- 13 Callus BA, Mathey-Prevot B. SOCS36E, a novel *Drosophila* SOCS protein, suppresses JAK/STAT and EGF-R signalling in the imaginal wing disc. *Oncogene* 2002; 21:4812-4821.
- 14 Carpenter L, Cordery D, Biden TJ. Inhibition of protein kinase C $\delta$  protects rat INS-1 cells against interleukin-1 $\beta$  streptozotocin-induced apoptosis. *Diabetes* 2002; 51:317-324.
- 15 Carroll JS, Swarbrick A, Musgrove EA, Sutherland RL. Mechanisms of growth arrest by c-myc antisense oligonucleotides in MCF-7 breast cancer cells: implications for antiproliferative effects of antiestrogens. *Cancer Res* 2002; 62:3126-3131.
- 16 Cazzolli R, Craig DL, Biden TJ, Schmitz-Peiffer C. Inhibition of glycogen synthesis in C2C12 muscle cells is independent of PKC $\alpha$ , PKC $\epsilon$  and PKC $\theta$ . *Am J Physiol-Endoc M* 2002; 282:E1204-E1213.
- 17 Chalkley SM, Hettiarachchi M, Chisholm DJ, Kraegen EW. Long term high fat feeding leads to severe insulin resistance but not diabetes in Wistar rats. *Am J Physiol-Endoc M* 2002;

- 282:E1231-E1238.
- 18 Chitturi S, Farrell GC, Frost L, Kriketos AD, Samarasinghe D, Lin R, Liddle C, George J. Nonalcoholic steatohepatitis: is there resistance to leptin mediated hepatic lipid turnover? *Hepatology* 2002; 36:403-409.
  - 19 Church WB, Jones KA, Kuiper DA, Shine J, Iismaa TP. Molecular modelling and site-directed mutagenesis of human GALR1 galanin receptor identifies determinants of receptor subtype specificity. *Protein Eng* 2002; 15:313-323.
  - 20 Cooney GJ, Thompson AL, Furler SM, Ye J, Kraegen EW. Muscle long-chain Acyl CoA esters and insulin resistance. *Ann NY Acad Sci* 2002; 967:196-207.
  - 21 Daly RJ, Hu G, Parmar J, Malaney S, Lyons RJ, Kairouz R, Head DR, Henshall SM, Neel BG, Sutherland RL. The docking protein Gab2 is overexpressed and estrogen regulated in human breast cancer. *Oncogene* 2002; 21:5175-5181.
  - 22 Dastmalchi S, Kobus FJ, Iismaa TP, Morris MB, Church WB. Comparison of the transmembrane helices of bovine rhodopsin in the crystal structure and the C $\alpha$  template based on cryo-electron microscopy maps and sequence analysis of the G protein-coupled receptors. *Mol Simulat* 2002; 28:845-851.
  - 23 Donaghy AJ, Delhanty PJD, Ho KK, Williams R, Baxter RC. Regulation of the growth hormone receptor/binding protein, insulin-like growth factor ternary complex system in human cirrhosis. *J Hepatol* 2002; 36:751-758.
  - 24 Eisman JA. How does vitamin D drive active intestinal calcium absorption? (commentary). *IBMS BoneKEy (electronic journal)* 2002; May 2:2002037.
  - 25 Eisman JA. Alendronate once-weekly: a valuable new treatment option in osteoporosis. *OSTEOUpdate (Merck Sharp & Dohme Newsletter)* 2002; 4.1:1-2.
  - 26 Elder G. Renal osteodystrophy. *J Bone Miner Res* 2002; 17:2094-2105.
  - 27 Franch J, Knudsen J, Ellis BA, Pedersen PK, Cooney GJ, Jensen J. Acyl-coA binding protein expression is fibre type specific and elevated in muscles from the obese insulin resistant Zucker rat. *Diabetes* 2002; 51:449-454.
  - 28 Gan SK, Samaras K, Thompson C, Carr A, Cooper D, Chisholm DJ. Altered myocellular and abdominal fat partitioning predict disturbance in insulin action in HIV protease inhibitor-related lipodystrophy. *Diabetes* 2002; 51:3163-3169.
  - 29 Graefen M, Karakiewicz PI, Cagiannos I, Klein E, Kupelian P, Quinn DI, Henshall SM, Grygiel JJ, Sutherland RL, Stricker PD, de Kernion J, Cangiano T, Schröder FH, Wildhagen MF, Scardino PT, Kattan MW. Validation study of the accuracy of a postoperative nomogram for recurrence after radical prostatectomy for localized prostate cancer. *J Clin Oncol* 2002; 20:951-956.
  - 30 Graefen M, Karakiewicz PI, Cagiannos I, Quinn DI, Henshall SM, Grygiel JJ, Sutherland RL, Stricker PD, Klein E, Kupelian P, Skinner DG, Lieskovsky G, Bochner B, Huland H, Hammerer PG, Haese A, Erbersdobler A, Eastham JA, de Kernion J, Cangiano T, Schröder FH, Wildhagen MF, van der Kwast T, Scardino PT, Kattan MW. International validation of a preoperative nomogram for prostate cancer recurrence after radical prostatectomy. *J Clin Oncol* 2002; 20:3206-3212.
  - 31 Greenfield JR, Samaras K, Chisholm DJ. Insulin resistance, intra-abdominal fat, cardiovascular risk factors and androgens in healthy young women with Type 1 diabetes mellitus. *J Clin Endocrinol Metab* 2002; 87:1036-1040.
  - 32 Greenfield JR, Samaras K, Chisholm DJ, Campbell LV. Regional intra-subject variability in abdominal adiposity limits the usefulness of computed tomography. *Obesity Res* 2002; 10:260-265.
  - 33 Grimm SL, Seagroves TN, Kabotyanski EB, Hovey RC, Vonderhaar BK, Lydon JP, Miyoshi K, Hennighausen L, Ormandy CJ, Lee AV, Stull MA, Wood TL, Rosen JM. Disruption of steroid and prolactin receptor patterning in the mammary gland correlates with a block in lobuloalveolar development. *Mol Endocrinol* 2002; 16:2675-2691.
  - 34 Groom J, Kalled SL, Cutler AH, Olson C, Woodcock SA, Schneider P, Tschopp J, Cachero TG, Batten M, Wheway J, Mauri D, Cavill D, Gordon TP, Mackay CR, Mackay F. Association of BAFF/BLyS overexpression and altered B cell differentiation with Sjögren's syndrome. *J Clin Invest* 2002; 109:59-68.
  - 35 Gulson B, Mizon K, Smith H, Eisman J, Palmer J, Korsch M, Donnelly J, Waite K. Skeletal lead release during bone resorption: effect of bisphosphonate treatment in a pilot study. *Environ Health Perspect* 2002; 110:1017-1023.
  - 36 Hartman ML, Crowe BJ, Biller BMK, Ho KKY, Clemmons DR, Chipman JJ. Which patients do

- not require a growth hormone (GH) stimulation test for the diagnosis of adult GH deficiency? *J Clin Endocr Metab* 2002; 87:477-485.
- 37 Healy PJ, Dennis JA, Windsor PA, Pierce KD, Handford CA, Schofield PR. Genotyping cattle for inherited congenital myoclonus and maple syrup urine disease. *Aust Vet J* 2002; 80:695-697.
- 38 Healy PJ, Pierce KD, Dennis JA, Windsor PAW, Schofield PR. Bovine myoclonus: a model of human hyperekplexia (startle disease) (Editor-solicited videotape). *Movement Disord* 2002; 17:743-744.
- 39 Hegarty BD, Cooney GJ, Kraegen EW, Furler SM. Increased efficiency of fatty acid uptake contributes to lipid accumulation in skeletal muscle of high-fat-fed insulin-resistant rats. *Diabetes* 2002; 51:1477-1484.
- 40 Henderson MJ, Russell AJ, Hird S, Munoz M, Clancy JL, Lehrbach GM, Calanni ST, Jans DA, Sutherland RL, Watts CKW. EDD, the human hyperplastic discs protein, has a role in progesterone receptor coactivation and potential involvement in DNA damage response. *J Biol Chem* 2002; 277:26468-26478.
- 41 Henshall S. Tissue microarrays: a high throughput technology for translational research. In: Ye S, Day NM, editors. *Microarrays and Microplates*. Oxford, UK: BIOS Scientific Publishers Ltd; 2002. p. 45-60.
- 42 Ho KKY, Gibney J. Hypopituitarism - pituitary disease and intrinsic hypothalamic disease. In: Besser GM, Thorner MO, editors. *Comprehensive Clinical Endocrinology*. 3rd ed. London: Mosby; 2002. p. 35-46.
- 43 Hui R, Finney GL, Carroll JS, Lee CSL, Musgrove EA, Sutherland RL. Constitutive overexpression of cyclin D1 but not cyclin E confers acute resistance to antiestrogens in T-47D breast cancer cells. *Cancer Res* 2002; 62:6916-6923.
- 44 Iglesias MA, Ye J-M, Frangioudakis G, Saha AK, Tomas E, Ruderman NB, Cooney GJ, Kraegen EW. AICAR administration causes an apparent enhancement of muscle and liver insulin action in insulin resistant high-fat fed rats. *Diabetes* 2002; 51:2886-2894.
- 45 Issa LL, Leong GM, Sutherland RL, Eisman JA. Vitamin D analogue-specific recruitment of vitamin D receptor coactivators. *J Bone Miner Res* 2002; 17:879-890.
- 46 Jacoby AS, Holmes FE, Hort YJ, Shine J, Iismaa TP. Phenotypic analysis of *Galr1* knockout mice reveals a role for GALR1 galanin receptor in modulating seizure activity but not nerve regeneration. *Lett Pept Sci* 2002; 8:139-146.
- 47 Jacoby AS, Hort YJ, Constantinescu G, Shine J, Iismaa TP. A critical role for GALR1 galanin receptor in galanin regulation of neuroendocrine function and seizure activity. *Mol Brain Res* 2002; 107:195-200.
- 48 Jae Lee W, Roberts-Thomson SJ, Holman NA, May FJ, Lehrbach GM, Montieth GR. Expression of plasma membrane calcium isoform mRNAs in breast cancer. *Cell Signal* 2002; 14:1015-1022.
- 49 Kanis JA, Black D, Cooper C, Dargent P, Dawson-Hughes B, De Laet C, Delmas P, Eisman J, Johnell O, Jonsson B, Melton J, Oden A, Papapoulos S, Pols H, Rizzoli R, Silman A, Tenenhouse A. A new approach to the development of assessment guidelines for osteoporosis. *Osteoporosis Int* 2002; 13: 527-536.
- 50 Kehely A, Bates PC, Frewer P, Birkett M, Blum WF, Mamessier P, Ezzat S, Ho KKY, Lombardi G, Luger A, Marek J, Russell-Jones D, Sonksen P, Attanasio AF. Short-term safety and efficacy of human GH replacement therapy in 595 adults with GH deficiency: a comparison of two dosage algorithms. *J Clin Endocr Metab* 2002; 87:1874-1979.
- 51 Kelly PA, Bachelot A, Kedzia C, Hennighausen L, Ormandy CJ, Kopchick JJ, Binart N. The role of prolactin and growth hormone in mammary gland development. *Mol cell endocrinol* 2002; 197:127-131.
- 52 Keramidas A, Moorhouse AJ, Park AC, Pierce KD, Schofield PR, Barry PH. Cationic-selective mutations in the M2 domain of the inhibitory glycine receptor channel reveal determinants of ion-charge selectivity. *J Gen Physiol* 2002; 119:393-410.
- 53 Kohonen-Corish MRJ, Qin H, Daniel JJ, Cooper WA, Rivory L, McCaughan B, Millward MJ, Trent RJA. Lack of  $\beta$ -tubulin gene mutations in early stage lung cancer. *Int J Cancer* 2002; 101:398-399.
- 54 Kopp J, Xu Z-Q, Zhang X, Pedrazzini T, Herzog H, Kresse A, Wong H, Walsh JH, Hökfelt T. Expression of the neuropeptide Y Y1 receptor in the CNS of rat and of wild type and Y1 receptor knock-out mice. Focus on immunohistochemical localization. *Neuroscience* 2002; 111:443-532.
- 55 Kraegen E, Cooney G, Ye J-M, Furler SM. PPARs, fatty acids and muscle insulin resistance. *J Roy Soc Med* 2002; 95 (Suppl 42):14-22.

- 56 Kraegen EW, Cooney GJ, Ye J, Furler SM. Influence of PPARs on muscle lipid metabolism and insulin resistance. In: Fruchart JC, Gotto Jr AM, et al., editors. *Peroxisome Proliferator Activated Receptors: From Basic Science to Clinical Applications*; 2002; Dordrecht: Kluwer Academic Publishers; 2002. p. 1150122.
- 57 Kraegen EW, Cooney GJ, Ye J, Furler SM. Fat feeding and muscle fat deposition eliciting insulin resistance. In: Hansen BS, Shafrir EA, editors. *Frontiers in animal diabetes research: Insulin resistance and the insulin resistance syndrome*. London: Taylor & Francis; 2002. p. 112-115.
- 58 Kraegen EW, Cooney GJ, Ye J, Thompson AL, Furler SM. Fatty acids and muscle insulin resistance. In: Zierath J, Wallberg-Henriksson H, editors. *Frontiers in Animal Diabetes Research: Muscle Metabolism*. London: Taylor & Francis; 2002. p. 187-209.
- 59 Kwok JBJ, Kapoor R, Gotoda T, Iizuka Y, Yamada N, Kato N, Isaacs K, Kushwaha V, Church WB, Schofield PR, Kapoor V. A missense mutation in kynurenine aminotransferase-1n spontaneously hypertensive rats. *J Biol Chem* 2002; 277:35779-35782.
- 60 Leung B, Iismaa TP, Leung K-C, Hort YJ, Turner J, Sheehy JP, Ho KKY. Galanin in human pituitary adenomas: frequency and clinical significance. *Clin Endocrinol* 2002; 56:397-403.
- 61 Leung K-C, Howe C, Gui LY-Y, Trout G, Veldhuis JD, Ho KKY. Physiological and pharmacological regulation of 20-kilodalton growth hormone. *Am J Physiol Endocrinol Metab* 2002; 283:E836-E843.
- 62 Lynch DK, J DR. PKB-mediated negative feedback tightly regulates mitogenic signalling via Gab2. *EMBO J* 2002; 21:72-82.
- 63 Mackay CR. New avenues for anti-inflammatory therapy. *Nat Med* 2002; 8:13-14.
- 64 Mackay F, Browning JL. BAFF: a fundamental survival factor for B cells. *Nat Rev Immunol* 2002; 2:465-475.
- 65 Mackay F, Kalled SL. TNF ligands and receptors in autoimmunity: an update. *Curr Opin Immunol* 2002; 14:783-790.
- 66 Mackay F, Mackay CR. The role of BAFF in B-cell maturation, T-cell activation and autoimmunity. *Trends Immunol* 2002; 23:113-115.
- 67 Melmed S, Casanueva FF, Cavagnini, Chanson P, Frohman L, Grossman A, Ho K, Kleinberg D, Lamberts S, Laws E, Lombardi G, Vance ML, von Werder K, Wass J, Giustina A. Guidelines for acromegaly management. *J Clin Endocrinol Metab* 2002; 87:4054-4058.
- 68 Moorhouse AJ, Keramidas A, Zaykin A, Schofield PR, Barry PH. Single channel analysis of conductance and rectification in cation-selective, mutant glycine receptor-channels. *J Gen Physiol* 2002; 119:411-425.
- 69 Morgan B, Rubenstein M. Buenos Aires: tango makes way for science. In: *Trends Neurosci*; 2002; Buenos Aires; 2002. p. 13-15.
- 70 Münch G, Shepherd C, McCann H, Brooks WS, Kwok JBJ, Arendt T, Hallupp M, Schofield PR, Martins RN, Halliday GM. Intra-neuronal advanced glycation endproducts in presenilin-1 Alzheimer's disease. *Neuroreport* 2002; 13:601-604.
- 71 Naganathan V, Macgregor A, Sneider H, Nguyen TV, Spector T, Sambrook P. Gender differences in the genetic factors responsible for variation in bone density and ultrasound. *J Bone Miner Res* 2002; 17:725-733.
- 72 Naylor MJ, Ormandy CJ. Mouse strain-specific patterns of mammary epithelial ductal side branching are elicited by stromal factors. *Dev Dynam* 2002; 225:100-105.
- 73 Nguyen TV, Center JR, Lord SR, Eisman JA. Common risk factors for hip fractures in elderly men and women. 2002.
- 74 Nguyen TV, Eisman JA. Pharmacogenomics of osteoporosis: opportunities and challenges. *Pharmacogenomics* 2002.
- 75 Nugent AG, Ho KKY. Growth hormone and aging. In: Wass JAH, Shalet SM, Gale E, Amiel SA, editors. *Oxford Textbook of Endocrinology and Diabetes*. Oxford: Oxford University Press; 2002. p. 1383-1391.
- 76 Oakes ND, Furler SM. Evaluation of free fatty acid metabolism *in vivo*. *Ann NY Acad Sci* 2002; 967:158-175.
- 77 Pero SC, Oligino L, Daly RJ, Soden AL, Liu C, Roller PP, Li P, Krag DN. Identification of novel non-phosphorylated ligands, which bind selectively to the SH2 domain of Grb7. *J Biol Chem* 2002; 277:11918-11926.
- 78 Rees MI, Lewis TM, Mortier G, Govaert P, Snell RG, Schofield PR, Owen MJ. Hyperekplexia associated with compound heterozygote mutations in the human  $\beta$ -subunit of the inhibitory glycine receptor (*GRLB*). *Hum Mol Genet* 2002; 11:853-860.

- 79 Rodan GA, Seeman E, Eisman JA, Javaid K, Cooper C, Miller PD, Hosking DJ, Compston JE. Genetics Update - Meeting Report from the IOF World Congress on Osteoporosis. *IBMS BoneKEy* 2002; July 2 10.1138/ibmske;2002051.
- 80 Rowland JE, Marshall NJ, Leung K-C, Ho KKY, Cotterill AM, Rowlinson SW, Waters MJ. A novel bioassay for human somatogenic activity in serum samples supports the clinica; reliability of immunoassays. *Clin Endocrinol* 2002; 56:475-485.
- 81 Sainsbury A, Cooney GJ, Herzog H. Hypothalamic regulation of energy homeostasis. *Best Pract Res Clin Endoc Metab* 2002; 16:623-637.
- 82 Sainsbury A, Schwarzer C, Couzens M, Fetissof S, Fürtinger S, Jenkins A, Cox HM, Sperk G, Hökfelt T, Herzog H. Important role of hypothalamic Y2 receptors in body weight regulation revealed in conditional knockout mice. *P Natl Acad Sci USA* 2002; 99:8938-8943.
- 83 Sainsbury A, Schwarzer C, Couzens M, Herzog H. Y2 receptor deletion reverses the type 2 diabetic syndrome of ob/ob mice. *Diabetes* 2002; 51:3420-3427.
- 84 Sainsbury A, Schwarzer C, Couzens M, Jenkins A, Oakes SR, Ormandy CJ, Herzog H. Y4 receptor knockout rescues fertility in ob/ob mice. *Gene Dev* 2002; 16:1077-1088.
- 85 Sarcevic B, Mawson A, Baker RT, Sutherland RL. Regulation of the ubiquitin-conjugating enzyme hHR6A by CDK-mediated phosphorylation of a conserved serine residue. *EMBO J* 2002; 21:2009-2018.
- 86 Schmitz-Peiffer C. Protein kinase C and lipid-induced insulin resistance in skeletal muscle. *Ann NY Acad Sci* 2002; 967:146-157.
- 87 Schofield PR. The role of glycine and glycine receptors in myoclonus and startle syndromes; in: myoclonus & paroxysmal dyskinesias. In: Fahn, Frucht, Hallett, Truong, editors. *Advances in Neurology*; 2002; PA, USA: Lippincott, Williams & Wilkins; 2002. p. 263-274.
- 88 Simpson H, Savine R, Sönksen P, Council: G, Bentsson B-A, Carlsson L, Christiansen JS, Clemmons D, Cohen P, Hintz R, Ho K, Mullis P, Strasburger C, Tamaka T, Thorner M. Growth hormone replacement therapy for adults: into the new millennium. *Growth Horm IGF Res* 2002; 12:1-33.
- 89 Smith-White M, Herzog H, Potter EK. Role of neuropeptide Y Y<sub>2</sub> receptors in modulation of cardiac parasympathetic neurotransmission. *Regul Peptides* 2002; 103:105-111.
- 90 Sutherland RL, Musgrove EA. Cyclin D1 and mammary carcinoma: new insights from transgenic mouse models. *Breast Cancer Res* 2002; 4:14-17.
- 91 Sutherland RL, Musgrove EA. Cyclin E and prognosis in patients with breast cancer. *New Engl J Med* 2002; 347:1546-1547.
- 92 Swarbrick A, Musgrove EA. Breast cancer: cyclic effects of hormones. *Today's Life Sciences* 2002; ?????:32-36.
- 93 Walder K, McMillan J, Lapsys N, Kriketos A, Prior M, Trevaskis J, Civitarese A, Southon A, Zimmet P, Collier G. Calpain 3 gene expression in skeletal muscle is associated with body fat content and measures of insulin resistance. *Int J Obesity* 2002; 26:442-449.
- 94 Walder K, Oakes N, Fahey RP, Cooney G, Zimmet PZ, Collier GR. Profile of dyslipidemia in psammomys obesus, an animal model of the metabolic syndrome. *Endocr Reg* 2002; 36:1-8.
- 95 Wasinger VC, Corthals GL. Proteomic tools for biomedicine. *J Chromatogr B* 2002; 771:33-48.
- 96 Watts CKW, Prall OWJ, Carroll JS, Wilcken NRC, Rogan EM, Musgrove EA, Sutherland RL. Antiestrogens and the cell cycle. In: Jordan VC, Furr BJ, editors. *Antioestrogens and Antiandrogens*. Totowa, NJ: Humana Press; 2002. p. 17-45.
- 97 Xu Y, Martin S, James DE, Hong W. GS15 forms a SNARE complex with syntaxin 5, GS28, and Ykt6 and is implicated in traffic in the early cisternae of the golgi apparatus. *Mol Biol Cell* 2002; 13:3493-3507.
- 98 Ye J-M, Frangioudakis G, Iglesias MA, Furler SM, Ellis B, Dzamko N, Cooney GJ, Kraegen EW. Prior thiazolidinedione treatment preserves insulin sensitivity in normal rats during acute fatty acid elevation: role of the liver. *Endocrinology* 2002; 143:4527-4535.
- 99 Yu C, Chen Y, Cline GW, Zhang D, Zong H, Wang Y, Bergeron R, Kim JK, Cushman SW, Cooney GJ, Atcheson B, White MF, Kraegen EW, Schulman GI. Mechanism by which fatty acids inhibit insulin activation of IRS-1 associated phosphatidylinositol 3-kinase activity in muscle. *J Biol Chem* 2002; 277:50230-50236.
- 100 Zhu W, Murrell GAC, Lin J, Gardiner EM, Diwan AD. Localization of nitric oxide synthases during fracture healing. *J Bone Miner Res* 2002; 17:1470-1477.