

## GARVAN INSTITUTE PUBLICATIONS 2003

- 1 Absalom NL, Lewis TM, Kaplan W, Pierce KD, Schofield PR. Role of charged residues in coupling ligand binding and channel activation in the extracellular domain of the glycine receptor. *J Biol Chem* 2003; 278:50151-50157.
- 2 Absalom NL, Lewis TM, Pierce KD, Schofield PR. Structural differences in the M2 region of the glycine receptor compared to other members of the ligand-gated ion channel superfamily. 2003.
- 3 Avery DT, Kalled SL, Ellyard JI, Ambrose C, Bixler SA, Thien M, Brink R, Mackay F, Hodgkin PD, Tangye SG. BAFF selectively enhances the survival of plasmablasts generated from human memory B cells. *J Clin Invest* 2003; 112:286-297.
- 4 Badenhop RF, Moses MJ, Scimone A, Adams LJ, Kwok JBJ, Jones A-M, Davison G, Evans MR, Kirkby KC, Hewitt JE, Donald JA, Mitchell PB, Schofield PR. Genetic refinement and physical mapping of a 2.3Mb probable disease region associated with a bipolar affective disorder susceptibility locus on chromosome 4q35. *Am J Med Genet* 2003; 117B:23-32.
- 5 Barry J, Leong GM, Church WB, Issa LL, Eisman JA, Gardiner EM. Interactions of SKIP/NCoA-62, TFIIIB, and retinoid X receptor with vitamin D receptor helix H10 residues. *J Biol Chem* 2003; 278:8224-8228.
- 6 Bhaskar V, Law DA, Ibsen E, Breinberg D, Cass KM, DuBridge RB, Evangelista F, Henshall SM, Hevezi P, Miller JC, Pong M, Powers R, Senter P, Stockett D, Sutherland RL, von Freeden-Jeffry U, Willhite D, Murray R, Afar DEH, Ramakrishnan V. E-selectin up-regulation allows for targeted drug delivery in prostate cancer. *Cancer Res* 2003; 63:6387-6394.
- 7 Biankin AV, Kench JG, Dijkman FP, Biankin SA, Henshall SM. Molecular pathogenesis of precursor lesions of pancreatic ductal adenocarcinoma. *Pathology* 2003; 35:14-24.
- 8 Biankin SA, Jenkins AB, Campbell LV, Choi KL, Forrest QG, Chisholm DJ. Target seeking behavior of plasma glucose with exercise in type 1 diabetes. *Diabetes Care* 2003; 26:297-301.
- 9 Blakeman KH, Hao JX, Xu XJ, Jacoby AS, Shine J, Crawley JN, Iismaa T, Wiesenfeld-Hallin Z. Hyperalgesia and increased neuropathic pain-like response in mice lacking galanin receptor 1 receptors. *Neuroscience* 2003; 117:221-227.
- 10 Brand CL, Sturis J, Gotfredsen CF, Fleckner J, Fledelius C, Hansen BF, Andersen B, Ye J-M, Sauerberg P, Wassermann K. Dual PPAR $\alpha/\gamma$  activation provides enhanced improvement of insulin sensitivity and glycemic control in ZDF rats. *Am J Physiol-Endoc M* 2003; 284:E841-E854.
- 11 Briffa NK, Keogh AM, Sambrook PN, Eisman JA. Reduction of immunosuppressant therapy requirement in heart transplantation by calcitriol. *Transplantation* 2003; 75:2133-2134.
- 12 Brooks WS, Kwok JBJ, Kril JJ, Broe A, Blumbergs PC, Tannenbergs AE, Lamont PJ, Hedges P, Schofield PR. Alzheimer's disease with spastic paraparesis and "cotton wool" plaques: two pedigrees with PS-1 exon 9 deletions. *Brain* 2003; 126:783-791.
- 13 Bruce CR, Anderson MJ, Carey AL, Newman DG, Bonen A, Krikeos AD, Cooney GJ, Hawley JA. Muscle oxidative capacity is a better predictor of insulin sensitivity than lipid status. *J Clin Endocrinol Metab* 2003; 88:5444-5451.
- 14 Bruce CR, Krikeos AD, Cooney GJ, Hawley JA. Disassociation of muscle triglyceride content and insulin sensitivity after exercise training in patients with Type 2 diabetes. *Diabetologia* 2003; 88:5444-5451.
- 15 Bryant NJ, James DE. The Sec1p/Munc18 (SM) protein, Vps45p, cycles on and off membranes during vesicle transport. *J Cell Biol* 2003; 161:691-696.
- 16 Burt MG, Ho KKY. Comparison of efficacy and tolerability of somatostatin analogs to other medical therapies for acromegaly. *Endocrinology* 2003; 20:299-306.
- 17 Burt MG, Morey AL, Jurner JJ, Pell M, Sheehy J, Ho KKY. Xanthomatous pituitary lesions: a report of two cases and review of the literature. *Pituitary* 2003; 6:161-168.
- 18 Cagiannos I, Karakiewicz P, Eastham JA, Ohori M, Rabbani F, Gerigk C, Reuter V, Graefen M, Hammerer PG, Erbersdobler A, Huland H, Kupelian P, Klein E, Quinn DI, Henshall SM, Grygiel JJ, Sutherland RL, Stricker PD, Morash CG, Scardino PT, Kattan MW. A preoperative nomogram identifying decreased risk of positive pelvic lymph nodes in patients with prostate cancer. *J Urology* 2003;

- 170:1798-1803.
- 19 Carey DGP, Campbell LV, Choi K-L, Chisholm DJ. Gender differences in fat distribution and their relationship to insulin sensitivity and lipid levels. *Obes Res* 2003.
- 20 Carroll JS, Lynch DK, Swarbrick A, Renoir J-M, Sarcevic B, Daly RJ, Musgrove EA, Sutherland RL. p27<sup>Kip1</sup> induces quiescence and growth factor insensitivity in tamoxifen-treated breast cancer cells. *Cancer Res* 2003; 63:4322-4326.
- 21 Chu DQ, Cox HM, Costa SKP, Herzog H, Brain SD. The ability of neuropeptide Y to mediate responses in the murine cutaneous microvasculature: an analysis of the contribution of Y<sub>1</sub> and Y<sub>2</sub> receptors. *Brit J Pharmacol* 2003; 140:422-430.
- 22 Clancy JL, Henderson MJ, Russell AJ, Anderson DW, Bova RJ, Campbell IG, Choong DYH, MacDonald GA, Mann GJ, Nolan T, Brady G, Olopade OI, Woollat E, Davies MJ, Segara D, Hacker NF, Henshall SM, Sutherland RL, Watts CKW. EDD, the human orthologue of the hyperplastic discs tumour suppressor gene, is amplified and overexpressed in cancer. *Oncogene* 2003; 22:5070-5081.
- 23 Cleasby ME, Dzamko N, Hegarty BD, Cooney GJ, Kraegen EW, Ye J. Metformin prevents the development of acute lipid-induced insulin resistance in the rat through altered hepatic signalling mechanisms. *Diabetes* 2003.
- 24 Clemmons DR, Chihara K, Freda PU, Ho KKY, Klibanski A, Melmed S, Shalet SM, Strasburger CJ, Trainer PJ, Thorner MO. Optimizing control of agromegaly: integrating a GH-receptor antagonist into the treatment algorithm. *J Clin Endocr Metab* 2003; 88:4759-4767.
- 25 Cock T-A, Subramaniam N, Flanagan JL, Sunn KL, Crofts LA, Eisman JA, Gardiner EM. The ligand responsiveness of the novel VDRB1 isoform is promoter specific. 2003.
- 26 Collins AM, Sewell WA, Edwards MR. Immunoglobulin gene rearrangement, repertoire diversity, and the allergic response. *Pharmacology and therapeutics* 2003; 100(2):157-170.
- 27 Corthals GL, Goodlett DR, Wasinger VC, Aebersold R. Identification of phosphorylation sites using micro-immobilized metal affinity chromatography. *Method Enzymol* 2003.
- 28 Daly RJ, Musgrove EA. New insights into regulation of the cyclin-dependent kinase (CDK) inhibitor p27 in breast cancer. *Breast Cancer Online - Journal Club* 2003.
- 29 Davison EA, Lee CSL, Naylor MJ, Oakes SR, Sutherland RL, Hennighausen L, Ormandy CJ, Musgrove EA. The Cyclin-Dependent Kinase inhibitor p27 (Kip1) regulates both DNA synthesis and apoptosis in mammary epithelium but is not required for its functional development during pregnancy. *Mol Endocrinol* 2003; 17(12):2436-2447.
- 30 Devine A, Dick IM, Eisman JA, Prince RL. Vitamin D receptor alleles, bone density and calcium intake in postmenopausal women. 2003.
- 31 Doisneau-Sixou SF, Cestac P, Chouini S, Carroll JS, Hamilton AD, Sebti SM, Poirrot M, Balaguer P, Faye J-C, Sutherland RL, Favre G. Contrasting effects of prenyltransferase inhibitors on estrogen-dependent cell cycle progression and estrogen receptor-mediated transcriptional activity in MCF-7 cells. *Endocrinology* 2003; 144:989-998.
- 32 Doisneau-Sixou SF, Cestac P, Faye J-C, Favre G, Sutherland RL. Additive effects of tamoxifen and the farnesyl transferase inhibitor FTI-277 on inhibition of MCF-7 breast cancer cell-cycle progression. *Int J Cancer* 2003; 106:789-798.
- 33 Doisneau-Sixou SF, Sergio CM, Carroll JS, Hui R, Musgrove EA, Sutherland RL. Estrogen and antiestrogen regulation of cell cycle progression in breast cancer cells. *Endocr-Relat Cancer* 2003; 10:179-186.
- 34 Doyle KL, Cunningham AM. Olfactory receptor neurones and precursor cells are GDNF responsive in vitro. *J Neurochem* 2003.
- 35 Eblen ST, Kumar NV, Shah K, Henderson MJ, Watts CKW, Shokat KM, Weber MJ. Identification of novel ERK2 substrates through use of an engineered kinase and ATP analogs. *J Biol Chem* 2003; 278:14926-14935.
- 36 Elder GJ, Eisman JA. Phosphate loading and the parathyroid-vitamin D axis. 2003.
- 37 Esteban LM, Eisman JA, Gardiner EM. Vitamin D Receptor Promoter and Regulation of Receptor Expression. In: Feldman PaG, editor. *Vitamin D*. Second Edition ed. San Diego: Elsevier/Academic Press; 2003. p. 193-217.
- 38 Fetissov S, Jacoby AS, Brumovsky PR, Shine J, Iismaa TP, Hökfelt T. Altered hippocampal expression of neuropeptides in seizure-prone GALR1 knockout mice. *Epilepsia* 2003; 44:1022-1033.
- 39 Flanagan JL, Leong GM, Subramaniam N, Cock T-A, Crofts L, Eisman JA, Gardiner EM, Kouzmenko AP. AF-1 activity and differential interaction with AF-2 domain of N-terminal A/B domains of two human vitamin D receptor isoforms. 2003.
- 40 Gan SK, Kriketos AD, Ellis BA, Thompson CH, Kraegen EW, Chisholm DJ. Changes in aerobic capacity and visceral fat but not myocyte lipid levels predict increased insulin action after exercise in overweight

- and obese men. *Diabetes Care* 2003; 26:1706-1713.
- 41 Gan SK, Kriketos AD, Poynten AM, Furler SM, Thompson CH, Kraegen EW, Campbell LV, Chisholm DJ. Insulin action, regional fat, and myocyte lipid: altered relationships with increased adiposity. *Obesity Res* 2003; 11:1295-1305.
- 42 Gass S, Harris J, Ormandy CJ, Brisken C. Using gene expression arrays to elucidate transcriptional profiles underlying prolactin function. *J Mammary Gland Biol* 2003; 8:269-285.
- 43 Gibney J, Ho KKY. Acromegaly. In: Sheppard MC, Stewart PM, editors. *Pituitary Disease*. The Netherlands: Kluwer Academic Publishers; 2003. p. 113-126.
- 44 Gibney J, Wolthers T, Smythe G, Umpleby AM, Ho KKY. Perturbation of protein metabolism in Cushing's Disease. *AJP* 2003.
- 45 Govers R, de Bree P, Rabelink TJ. Involvement of the proteasome in activation of endothelial nitric oxide synthase. *Life Sci* 2003; 73:2225-2236.
- 46 Graham BA, Schofield PR, Sah P, Callister RJ. Altered inhibitory synaptic transmission in superficial dorsal horn neurons in *Spastic* and *Oscillator* mice. *J Physiol* 2003; 551:905-916.
- 47 Grass S, Jacoby AS, Iismaa TP, Crawley JN, Xu X-J, Weisenfeld-Hallin. Flexor reflex excitability in mice lacking galanin receptor galanin-R1. *Neurosci Lett* 2003; 345:153-156.
- 48 Greenfield JR, Samaras K, Campbell L, Chisholm D. Type I diabetes is not associated with increased central abdominal obesity (Letter). *Diabetes Care* 2003; 26:2703.
- 49 Handel ML, Girgis L. Concepts of pathogenesis and emerging treatments in rheumatic disease. *Baillieres Best Pract Res Clin Rheumatol* 2003.
- 50 Harris J, Naylor MJ, Robertson FG, Wittlin S, Zhou J, Lapinskas EJ, Lindeman GJ, Visvader J, Kelly P, Pritchard M, Ormandy CJ. Transcript profiling of prolactin-dependent models of mammary development reveals the Ets transcription factor Elf5 as a key modulator of prolactin action on the mammary epithelium. 2003.
- 51 Hayes VM, Gardiner-Garden M. Are polymorphic markers within the alpha-1-antitrypsin gene associated with risk of human immunodeficiency virus disease? *J Infect Dis* 2003; 188:1205-1208.
- 52 Hegarty BD, Furler SM, Ye J, Cooney GJ, Kraegen EW. The role of intramuscular lipid in insulin resistance. *Acta Physiol Scand* 2003; 178:373-383.
- 53 Henshall SM. Tissue microarrays. *J Mammary Gland Biol* 2003; 8(3):347-358.
- 54 Henshall SM, Afar DEH, Hiller J, Horvath LG, Quinn DI, Rasiah KK, Gish K, Willhite D, Kench JG, Gardiner-Garden M, Stricker PD, Scher HI, Grygiel JJ, Agus DB, Mack DH, Sutherland RL. Survival analysis of genome-wide gene expression profiles of prostate cancers identifies new prognostic targets of disease relapse. *Cancer Res* 2003; 63:4196-4203.
- 55 Henshall SM, Afar DEH, Rasiah KK, Horvath LG, Gish K, Caras I, Ramakrishnan V, Wong M, Jeffrey U, Kench JG, Quinn DI, Turner JJ, Delprado W, Lee C-S, Golovsky D, Brenner PC, O'Neill GF, Kooner R, Stricker PD, Grygiel JJ, Mack DH, Sutherland RL. Expression of the zinc transporter ZnT4 is decreased in the progression from early prostate disease to invasive prostate cancer. *Oncogene* 2003; 22:6005-6012.
- 56 Herzog H. Transgenic and knockout models in NPY research. In: Michel MC, editor. *Handbook of Experimental Pharmacology*. Berlin-Heidelberg: Springer-Verlag; 2003. p. 447-478.
- 57 Herzog H. Neuropeptide Y and energy homeostasis: insights from Y receptor knockout models. *Eur J Pharmacol* 2003; 480:21-29.
- 58 Ho KKY, O'Sullivan AJ, Wolthers T, Leung KC. Metabolic effects of oestrogens: impact of the route of administration. In: *Ann Endocrinol*; 2003; Paris; 2003. p. 170-177.
- 59 Holmes A, Kinney JW, Wrenn CC, Li Q, Yang RJ, Ma L, Vishwanath J, Saaverdra MC, Innerfield CE, Jacoby AS, Shine J, Iismaa TP, Crawley JN. Galanin GAL-R1 receptor null mutant mice display increased anxiety-like behavior specific to the elevated plus-maze. *Neuropsychopharmacology* 2003; 28:1031-1044.
- 60 Hovey RC, Harris J, Hadsell DL, Lee AV, Ormandy CJ, Vonderhaar BK. Local insulin-like growth factor-II mediates prolactin-induced mammary gland development. *Mol Endocrinol* 2003; 17:460-471.
- 61 Howell OW, Scharfman HE, Herzog H, Sundstrom LE, Beck-Sickinger A, Gray WP. Neuropeptide Y is neuroproliferative for post-natal hippocampal precursor cells. *J Neurochem* 2003; 86:646-659.
- 62 Hu S-H, Gee CL, Latham CF, Rowlinson SW, Rova U, Jones A, Halliday JA, Bryant NJ, James DE, Martin JL. Recombinant expression of Munc18c in a baculovirus system and interaction with syntaxin4. *Protein Express Purif* 2003; 31:305-310.
- 63 Hyland NP, Sjöberg F, Tough IR, Herzog H, Cox HM. Functional consequences of neuropeptide Y Y<sub>2</sub> receptor knockout and Y<sub>2</sub> antagonism in mouse and human colonic tissues. *Brit J Pharmacol* 2003; 139:863-871.
- 64 Ivancic M, Daly RJ, Lyons BA. Solution structure of the human Grb7-SH2 domain/erbB2 peptide

- complex and structural basis for Grb7 binding to ErbB2. *J Biomol NMR* 2003; 27:205-219.
- 65 Jenkins AB, Campbell LV. Does relative leptinemia predict weight gain in humans? (Editorial). *Obes Res* 2003; 11:373-374.
- 66 Kairouz R, Malaney S, Lyons RJ, Daly RJ. Receptor recruitment of the Grb14 adapter protein is regulated by alternative mRNA splicing. *Cell Signal* 2003.
- 67 Kaiser SM, Townsend-Nicholson A, Schofield PR, Quinn RJ. Agonist-induced functional desensitisation enhances synergistic cross-talk between human A<sub>1</sub>-adenosine receptors and P2Y<sub>2</sub>-purinergic receptors in transfected CHO-K1 cells. *Brit J Pharmacol* 2003.
- 68 Kariola R, Otway R, Lönnqvist KE, Raevaara TE, Macrae F, Vos YJ, Kohonen-Corish M, Hofstra RMW, Nyström-Lahti M. Two mismatch repair gene mutations found in colon cancer patient - which one is pathogenic? *Hum Genet* 2003; 112:105-109.
- 69 Kindblom J, Dillner K, Sahlin L, Robertson F, Ormandy C, Törnell J, Wennbo H. Prostate hyperplasia in a transgenic mouse with prostate-specific expression of prolactin. *Endocrinology* 2003; 144:2269-2278.
- 70 Kouzmenko AP, Fong C, Flanagan JL, Hepperle C, Lardelli M, Eisman JA. Zebrafish vitamin D receptor: comparative analysis of transactivation function and A/B domain AF-1 activity and cofactor interactions. 2003.
- 71 Kriketos AD, Carey DG, Jenkins AB, Chisholm DJ, Furler SM, Campbell LV. Central fat predicts deterioration of insulin secretion index and fasting glycaemia: 6-year follow-up of subjects at varying risk of type 2 diabetes mellitus. *Diabetic Med* 2003; 20:294-300.
- 72 Kriketos AD, Furler SM, Gan SK, Poynten AM, Chisholm DJ, Campbell LV. Multiple indexes of lipid availability are independently related to whole body insulin action in healthy humans. *J Clin Endocrinol Metab* 2003; 88:793-798.
- 73 Kriketos AD, Schubert T, Sam W, Maclean E, Campbell LV. Postprandial triglycerides response to high fat: role of dietary carbohydrate. *Eur J Clin Invest* 2003; 33:383-389.
- 74 Kwok JBJ, Hallupp M, Halliday GM, Brooks WS, Dolios G, Murayama O, Badenhop RF, Wang R, Gandy SE, Vickers J, Takashima A, Schofield PR. Presenilin-1 missense mutation (Leu271Val) results in altered splicing and is associated with non-cored plaques and no neuritic dystrophy. *J Biol Chem* 2003; 278:6748-6754.
- 75 Kwok JBJ, Schofield PR. The molecular basis of Alzheimer's disease and frontotemporal dementia. In: Sachdev PS, editor. *The Ageing Brain: the neurobiology & neuropsychiatry of ageing*; 2003; Lisse, The Netherlands: Swets & Zietlinger BV; 2003. p. 173-185.
- 76 Kwong RA, Nguyen TV, Bova RJ, Kench JG, Cole IE, Musgrove EA, Henshall SM, Sutherland RL. Overexpression of E2F-1 is associated with increased disease-free survival in squamous cell carcinoma of the anterior tongue. *Clin Cancer Res* 2003; 9:3705-3711.
- 77 Lamont BJ, Andrikopoulos S, Funkat A, Favalaro J, Ye J-M, Kraegen EW, Howlett KF, Zajac JD, Proietto J. Peripheral insulin resistance develops in transgenic rats overexpressing phosphoenolpyruvate carboxykinase in the kidney. *Diabetologia* 2003; 46:1338-1347.
- 78 Lapillonne H, Konopleva M, Tsao T, Gold D, McQueen T, Sutherland RL, Madden T, Andreeff M. Activation of peroxisome proliferator-activated receptor  $\gamma$  by a novel synthetic triterpenoid 2-cyano-3,12-dioxooleana-1,9-dien-28-oic acid induces growth arrest and apoptosis in breast cancer cells. *Cancer Res* 2003; 63:5926-5939.
- 79 Laybutt DR, Glandt M, Xu G, Ahn YB, Trivedi N, Bonner-Weir S, Weir GC. Critical reduction in  $\beta$ -cell mass results in two distinct outcomes over time. *J Biol Chem* 2003; 278:2997-3005.
- 80 Lee DJ-S, Keramidas A, Moorhouse AJ, Schofield PR, Barry PH. The contribution of P250 (P-2' $\Delta$ ) to ion selectivity and pore diameter in the human glycine receptor. *Neurosci Lett* 2003; 351:196-200.
- 81 Leong GM, Johannsson G. Growth hormone deficiency: strategies and indications to continue growth hormone therapy in transition from adolescence to adult life. *Horm Res* 2003; 60 (Suppl):78-85.
- 82 Leung K-C, Ballesteros M, Doyle N, Sjogren K, Watts CKW, Low T-H, Leong GM, Ross RJM, Ho KKY. Estrogen inhibits GH signaling by suppressing GH-induced JAK2 phosphorylation, an effect mediated by SOCS-2. *Proc Natl Acad Sci USA* 2003; 100:1016-1021.
- 83 Lewis TM, Schofield PR, McClellan AML. Kinetic determinants of agonist potency at the recombinant human glycine receptor. *J Physiol* 2003; 549:361-374.
- 84 Little DG, Peat RA, McEvoy A, Williams PR, Smith EJ, Baldock PA. Zoledronic acid treatment results in retention of femoral head structure after traumatic osteonecrosis in young wistar rats. *Journal of Bone and Mineral Research* 2003; 18:2016-2022.
- 85 Little DG, Smith NC, Williams PR, Briody JN, Bilston LE, Smith EJ, Gardiner EM, Cowell CT. Zoledronic acid prevents osteopenia and increases regenerate bone area and strength during distraction osteogenesis in rabbits. *J Bone Miner Res* 2003; 18:1300-1307.
- 86 Lynch DK, Winata SC, Lyons RJ, Hughes WE, Lehrbach GM, Wasinger V, Corthals G, Cordwell S, Daly

- RJ. A cortactin/CD2-associated protein (CD2AP) complex provides a novel link between epidermal growth factor receptor endocytosis and the actin cytoskeleton. *J Biol Chem* 2003; 278:21805-21813.
- 87 Mackay F, Schneider P, Rennert P, Browning J. BAFF and APRIL: a tutorial on B cell survival. *Annu Rev Immunol* 2003; 21:231-264.
- 88 Mahoney S-A, Hosking R, Farrant S, Holmes FE, Jacoby AS, Shine J, Iismaa TP, Scott MK, Schmidt R, Wynick D. The second galanin receptor GalR2 plays a key role in neurite outgrowth from adult sensory neurons. *J Neurosci* 2003; 23:416-421.
- 89 Matassa AA, Kalkofen RL, Carpenter L, Biden TJ, Reyland ME. Inhibition of PKC $\alpha$  induces a PKC $\delta$ -dependent apoptotic program in salivary epithelial cells. *Cell Death Differ* 2003; 10:269-277.
- 90 McBride J. Using a database and web interface to better manage IP assignment in a network. *SysAdmin Magazine* 2003.
- 91 Misof BM, Roschger P, Tesch W, Baldock PA, Valenta A, Mesmer P, Eisman JA, Boskey AL, Gardiner EM, Fratzl P, Klaushofer K. Targeted overexpression of vitamin D receptor in osteoblasts increases calcium concentration without affecting structural properties of bone mineral crystals. *Calcified Tissue Int* 2003; 73:251-257.
- 92 Naylor MJ. duplicate - see P01741. *J Biol Chem* 2003; 278:29145-29152.
- 93 Naylor MJ, Ginsburg E, Iismaa TP, Vonderhaar BK, Wynick D, Ormandy CJ. The neuropeptide galanin augments lobuloalveolar development. *J Biol Chem* 2003; 278:29145-29152.
- 94 Naylor MJ, Lockefeer JA, Horseman ND, Ormandy CJ. Prolactin regulates mammary epithelial cell proliferation via autocrine/paracrine mechanism. *Endocrine* 2003; 20:111-114.
- 95 Nguyen TV, Center JR, Eisman JA. Bone loss predicts hip fracture risk independent of bone mineral density. 2003.
- 96 Nguyen TV, Chu J, Sathiakumar C, Pocock NA. Reproducibility and concordance in quantitative ultrasound measurements between densitometers: a comparative study. *J Clin Densitom* 2003; 6.
- 97 Nguyen TV, Livshits G, Center JR, Yakovenko K, Eisman JA. Genetic determination of bone mineral density: evidence for a major gene. *J Clin Endocrinol Metab* 2003; 88:3614-3620.
- 98 Nguyen TV, Pongchaiyakul C, Center JR, Baldock PA, H H, M GE, Eisman JA. Protective effect of concurrent beta-blocker and thiazide use on fracture risk in the elderly and public health implications. *New England Journal of Medicine* 2003.
- 99 Nguyen TV, White CP, Center JR, Eisman JA. Association between hip fracture risk and vitamin D receptor gene polymorphisms. 2003.
- 100 Nowson CA, Diamond TH, Pasco JA, Mason RS, Sambrook PN, Eisman JA. Vitamin D in Australia: issues and recommendations. *Aust Family Physician* 2003; 33(3):133-138.
- 101 Nugent AG, Leung K-C, Sullivan D, Reutens AT, Ho KKY. Modulation by progestogens of the effects of estrogen on hepatic endocrine function in post-menopausal women. *Clin Endocrinol* 2003; 59:690-698.
- 102 Ormandy CJ. Genomic Telescopes. *J Mammary Gland Biol* 2003; 8:255-256.
- 103 Ormandy CJ, Musgrove EA, Hui R, Daly RJ, Sutherland RL. Cyclin D1, EMS1 and 11q13 amplification in breast cancer. *Breast Cancer Res Treat* 2003; 78:323-335.
- 104 Ormandy CJ, Naylor MJ, Harris J, Robertson F, Horseman ND, Lindeman GJ, Visvader J, Kelly PA. Investigation of the transcriptional changes underlying functional defects in the mammary glands of prolactin receptor knockout mice. *Recent Prog Horm Res* 2003; 58:297-323.
- 105 Pagan JK, Wylie FG, Joseph S, Widberg C, Bryant NJ, James DE, Stow JL. The t-SNARE syntaxin 4 is regulated during macrophage activation to function in membrane traffic and cytokine secretion. *Curr Biol* 2003; 13:156-160.
- 106 Peake PW, Kriketos AD, Denyer GS, Campbell LV, Charlesworth JA. The postprandial response of adiponectin to a high-fat meal in normal and insulin-resistant subjects. *Int J Obesity* 2003; 27:657-662.
- 107 Pero SC, Daly RJ, Krag DN. Grb7-based molecular therapeutics in cancer. *Expert Reviews in Molecular Medicine* 2003; 5.
- 108 Phung H, Bauman A, Nguyen TV, Young L, Tran M, Hillman K. Risk factors for low birth weight in a socio-economically disadvantaged population: parity, marital status, ethnicity and cigarette smoking. *Eur J Epidemiol* 2003; 18:235-243.
- 109 Pongchaiyakul C, Nguyen ND, Eisman JA, Nguyen TV. Clinical risk indices, prediction of osteoporosis and prevention of fractures: Diagnosis, consequences and costs. *Osteoporosis International* 2003.
- 110 Pongchaiyakul C, Nguyen TV, Kosulwat V, Rojroongwasinkul N, Charoenkiatkul S, Eisman JA, Rajatanavin R. Contribution of lean tissue mass to the urban-rural difference in bone mineral density. *Calcified Tissue International* 2003.
- 111 Port L, Center J, Briffa NK, Nguyen T, Cumming R, Eisman J. Osteoporotic fracture: missed opportunity for intervention. *Osteoporosis Int* 2003; 14:780-784.
- 112 Poynten AM, Gan SK, Kriketos AD, O'Sullivan A, Kelly JJ, Ellis B, Chisholm DJ, Campbell LV. Nicotinic

- acid-induced insulin resistance is related to increased circulating fatty acids and fat oxidation but not muscle lipid content. *Metabolism* 2003; 52:699-704.
- 113 Poynten AM, Markovic TP, Maclean EL, Furler SM, Freund J, Chisholm DJ, Campbell LV. Fat oxidation, body composition and insulin sensitivity in diabetic and normoglycaemic obese adults 5 years after weight loss. *Int J Obes Relat Metab Disord* 2003; 27:1212-1218.
- 114 Quinn DI, Henshall SM, Brenner PC, Kooner R, Golovsky D, O'Neill GF, Turner JJ, Delprado W, Grygiel JJ, Sutherland RL, Stricker PD. Prognostic significance of preoperative factors in localized prostate carcinoma treated with radical prostatectomy. *Cancer* 2003; 97:1884-1893.
- 115 Randell AG, Eisman JA. How can the human costs of illness be meaningfully assessed? 2003.
- 116 Rasiah KK, Stricker PD, Haynes A-M, Delprado W, Turner JJ, Golovsky D, Brenner PC, Kooner R, O'Neill GF, Grygiel JJ, Sutherland RL, Henshall SM. Prognostic significance of Gleason pattern in patients with Gleason score 7 prostate carcinoma. *Cancer* 2003; 98(12):2560-2565.
- 117 Redrobe JP, Dumont Y, Herzog H, Quirion R. Neuropeptide Y (NPY) Y<sub>2</sub> receptors mediate behaviour in two animal models of anxiety: evidence from Y<sub>2</sub> receptor knockout mice. *Behav Brain Res* 2003; 141:251-255.
- 118 Robertson FG, Harris J, Naylor MJ, Oakes SR, Kindblom J, Dillner K, Wennbo H, Törnell J, Kelly PA, Green J, Ormandy CJ. Prostate development and carcinogenesis in prolactin receptor knockout mice. *Endocrinology* 2003; 144:3196-3205.
- 119 Ruderman NB, Cacicedo J, Itani S, Yagihashi N, Saha AK, Ye JM, Chen K, Zhou M, Carling D, Boden G, Cohen RA, Keaney J, Kraegen EW, Ido Y. Malonyl-CoA and AMP-activated protein kinase (AMPK): possible links between insulin resistance in muscle and early endothelial cell damage in diabetes. *Biochem Soc T* 2003; 31:202-206.
- 120 Ruderman NB, Saha AK, Kraegen EW. Malonyl CoA, AMP-activated protein kinase, and adiposity. *Endocrinology* 2003; 253:65-70.
- 121 Sainsbury A, Baldock PA, Schwarzer C, Ueno N, Enriquez RF, Couzens M, Inui A, Herzog H, Gardiner EM. Synergistic reduction in adiposity and increase in bone mass in Y2/Y4 receptor double knockout mice. *Mol Cell Biol* 2003; 23:5225-5233.
- 122 Samaras K, Duff MA, Campbell LV. Variability in dietary intake in healthy middle-aged women is unrelated to body fatness but is reduced in underreporters. *Int J Obesity* 2003.
- 123 Samaras K, Gan SK. Lipodystrophy in HIV infected patients. Clinica and metabolic features, therapeutic conundrums and challenges. *Aust J Nutr* 2003.
- 124 Sambrook PN, Kotowicz M, Nash P, Styles CB, Naganathan V, Henderson-Briffa KN, Eisman JA, Nicholson GC. Prevention and treatment of glucocorticoid-induced osteoporosis: a comparison of calcitriol, vitamin D plus calcium, and alendronate plus calcium. *J Bone Miner Res* 2003; 18:919-924.
- 125 Sans N, Vissel B, Petralia RS, Wang Y-X, Chang K, Royle GA, Wang C-Y, O'Gorman S, Heinemann SF, Wenthold RJ. Aberrant formation of glutamate receptor complexes in hippocampal neurons of mice lacking the GluR2 AMPA receptor subunit. *J Neurosci* 2003; 23:9367-9373.
- 126 Schlaepfer IR, Pulawa LK, Ferreira LD, James DE, Capell WH, Eckel RH. Increased expression of the SNARE accessory protein Munc18c in lipid-mediated insulin resistance. *J Lipid Res* 2003; 44:1174-1181.
- 127 Schmitz-Peiffer C, Whitehead JP. IRS-1 regulation in health and disease. *IUBMB Life* 2003; 55:367-374.
- 128 Segurado R, Detera-Wadleigh SD, Levinson DF, Lewis CL, Gill M, Nurnberger Jr JI, Bennett P, DePaulo JR, Liu J, Cichon S, Gershon ES, Ekholm J, Kelsoe JR, Badenhop RF, Morissette J, Curtis D, Blackwood D, Turecki G, VanBroeckhoven C, Coon H, Foroud T, Edenberg H, McInnis M, Badner JA, Goldin LR, Goate A, Craddock N, Willour V, Zandi P, Baron M, Gilliam C, Juo S-H, Nöthen MM, Schumacher J, Windemuth C, Rietschel M, Propping P, Berrettini WH, Yoshikawa T, Peltonen L, Lönngqvist J, Spence AM, Luebbert H, Schofield PR, Adams LJ, Donald JA, Mitchell PB, Barden N, Shink E, Gurling H, Kalsi G, McQuillan A, Muir W, Porteus D, Macgregor S, Alda M, Grof P, Rouleau GA, Claes S, Adolfsson R, Byerley W. Genome scan meta-analysis of schizophrenia and bipolar disorder III: bipolar disorder. *Am J Hum Genet* 2003; 73:49-62.
- 129 Shaw J, Chisholm DJ. Epidemiology and prevention of Type 2 diabetes and metabolic syndrome. *Med J Australia* 2003; 179:379-383.
- 130 Shewan AM, van Dam EM, Martin S, Luen TB, Hong W, Bryant NJ, James DE. GLUT4 recycles via a trans-golgi network (TGN) subdomain enriched in syntaxins 6 and 16 but not TGN38: involvement of an acidic targeting motif. *Mol Biol Cell* 2003; 14:973-986.
- 131 Smith-White MA, Iismaa TP, Potter EK. Galanin and neuropeptide Y reduce cholinergic transmission in the heart of the anaesthetised mouse. *Brit J Pharmacol* 2003; 140:170-178.
- 132 Stanford PM, Shepherd CE, Halliday GM, Brooks WS, Schofield PW, Brodaty H, Martins RN, Kwok JBJ, Schofield PR. An increase in three repeat tau causes frontotemporal dementia. *Brain* 2003; 126:814-

- 826.
- 133 Sutton I. Immunology of paraneoplastic neurologic syndrome. *Science and Medicine* 2003; 9(5):274-285.
- 134 Tan TC, Valova VA, Malladi CS, Graham ME, Berven LA, Jupp OJ, Hansra G, McClure SJ, Sarcevic B, Boadle RA, Larsen MR, Cousin MA, Robinson PJ. Cdk5 is essential for synaptic vesicle endocytosis. *Nat Cell Biol* 2003; 5:701-710.
- 135 Thomas GP, Eisman JA, Gardiner EM. Divergent resorptive responses of bones according to age and skeletal site of origin. 2003.
- 136 Thompson AL, Campbell LV, Cooney GJ. Interleukin-6 and tumour necrosis factor are both necessary to induce insulin resistance in skeletal muscle *in vitro*. 2003.
- 137 Thuy VTT, Chau TT, Cong ND, De DV, Nguyen TV. Assessment of low bone mass in Vietnamese: comparison of QUS calcaneal ultrasonometer and data-derived T-scores. *J Bone Miner Metab* 2003; 21:114-119.
- 138 Townsend-Nicholson A, Vissel B, Hallupp M, French P, Rajkovic I, Schofield PR. Contribution of the amino acid residues in the seventh transmembrane domain of the human A<sub>1</sub> adenosine receptor to ligand binding. 2003.
- 139 Tschenett A, Singewald N, Carli M, Balducci C, Salchner P, Vezzani A, Herzog H, Sperk G. Reduced anxiety and improved stress coping ability in mice lacking NPY-Y2 receptors. *Eur J Neurosci* 2003; 18:143-148.
- 140 Vong QP, Chan KM, Leung K, Cheng CHK. Common carp insulin-like growth factor-I gene: complete nucleotide sequence and functional characterization of the 5'-flanking region. *Gene* 2003; 322:145-156.
- 141 Welsh JB, Sapinoso LM, Kern SG, Brown DA, Liu T, Bauskin AR, Ward RL, Hawkins NJ, Quinn DI, Russell PJ, Sutherland RL, Breit SN, Moskaluk CA, Frierson HF, Hampton GM. Large-scale delineation of secreted protein biomarkers overexpressed in cancer tissue and serum. *P Natl Acad Sci USA* 2003; 100:3410-3415.
- 142 Widberg CH, Bryant NJ, Girotti M, Rea S, James DE. Tomosyn interacts with the t-SNAREs syntaxin4 and SNAP23 and plays a role in insulin-stimulated GLUT4 translocation. *J Biol Chem* 2003; 278:35093-35101.
- 143 Woodcock EA, Mitchell CJ, Biden TJ. Phospholipase C $\delta_1$  does not mediate Ca<sup>2+</sup> responses in neonatal rat cardiomyocytes. *FEBS Lett* 2003; 546:325-328.
- 144 Ye J-M, Iglesias M A, Watson DG, Wood L, Jensen PB, Sorensen RV, Larsen PJ, Cooney GJ, Wassermann K, Kraegen EW. PPAR $\alpha/\gamma$  agonist ragaglitazar eliminates fatty liver and insulin action in fat-fed rats in the absence of hepatomegaly. *Am J Physiol-Endoc M* 2003; 284:E531-E540.
- 145 Zajac JD, Chisholm DJ, Gaut B. Endocrinology in the 21st century (Editorial). *Med J Australia* 2003; 179:378.
- 146 Zhu XO, Qu W, Moorhouse AJ, Cunningham AM, Barry PH. Cyclic nucleotide activation and spermine block in wild type recombinant olfactory CNG (rOCNC1) channels in excised patches of HEK293 cells. 2003.